

PT IP H100-C6

● FEATURES

M' TEAM

- * 1/4" CMOS 1MP
- * 1280 * 720 720P
- * ICR
- * ICR
- * PTZ
- * RJ45 Cat5 / 6
- * APP V12

12 Core Functions

Wifi Smart Cloud IP Camera



A variety of installation



P/T Rotation



Finger sliding screen to remote control camera rotation



A variety of applications



Motion Detection Alarm



Support SD Card

The camera doesn't come with sd card, if you need buy from us, please ask the sales.



max support
64G SD Card



Mobile Phone View



V12


Download the App



Scan QR code to download the APP V12
or Search V12 in APP Store/Android Market



| Show appearance |



□□□□□□



□□□□□□



● SPECS

M'TEAM

□□ □□

H100-C6

照 像	感 光 器	1/4" 型 CMOS
	最低照度	0.02LUX @F2.0AGC 0dB 0.1s IR
	白 光	有
	像素	3.6M
	接口	M12
	图像格式	ICR 格式
	3D 功能	3D 功能
音 频	编 码	H.264
	编 码	H.264 编 码
	音 频 编 码	HD SD 编 码
	音 频 编 码	AAC
	音 频 编 码	编 码
画 面	分辨率	1280 × 720
	帧 率	25fps 帧 率 编 码 编 码
	画 面 编 码	编 码 编 码 编 码 编 码 编 码 编 码 编 码 编 码
存 储	存 储 介 质	SD 卡 64G
	存 储 介 质	编 码 编 码 编 码 编 码 编 码 编 码 编 码 编 码
	存 储 介 质	编 码 编 码 编 码 编 码 编 码 编 码 编 码 编 码
网 络	网 络 标 准	IEEE802.11b 802.11 802.11n 编 码
	网 络 标 准	2.4 GHz 2.4835 GHz
	网 络 标 准	20 / 40MHz
	网 络 标 准	128 64 WEP WPA / WPA2 WPA-PSK / WPA2-PSK WPS
	网 络 标 准	11B 11Mbps 11G 54Mbps 11N 135Mbps
电 源	电 源 电 压	-10 C 50 C 0 0 0 95 编 码 编 码
	电 源 电 压	DC 5V
	电 源 电 压	3W MAX
	电 源 电 压	MAX 5
	电 源 电 压	100mm X 100mm X 126mm
	电 源 电 压	300mm 编 码

FAQS



[wifi 摄像头](#)
[MVTEAM Wifi IP Camera](#)
[Wifi IP 摄像头](#)
[MVTEAM Wifi IP 摄像头](#)
[Wifi IP 摄像头](#)

▼ Package

M'TEAM



Size(cm): 11.6(L)X11.6(W)X16.7(H)

▼ Shipping

M'TEAM



