



8CH WIFI NVR CE ROHS FCC MVT-K08



IP Camera



8CH NVR

- 1x 8CH NVR 10" LCD WIFI
- 8x 1080P AHD
- 8x 12VDC / 2A
- 1x 1080P AHD
- 1x CD CMS



1-8CH NVR

FEATURES



- * 10" LCD 1280 * 1024 330
- * Wi-Fi 802.11b / g / n 150Mbps

* HDMI

* 8 * 720P; 8 * 960P 8 * 960H 4 * 720P; 8 * 960P

* 3 USB 4TB P2P X1

SPECS

M TEAM

NVR		
	Linux	
AV/		8CH
	broadbank	20Mbps
AV /	HDMI	1024x768,1366x768 1440x900,1920x1080p
AV		D1 / 720P
		8CH
	/	Maual
	USB	USB
		1 * SATA
		4 TB
		1 RJ45 10M / 100M 2
	USB	3 USB 2.0
		SMTP survice PPPoE DHCP IP...
		DC12V3A
	W	≤5W HDD
	C	-10°C + 55°C
	RH	10~90
		257×210V×45H
	HDD	≤1Kg

PRODUCT PICTURE

M TEAM



MVTEAM NVR



MVTEAM NVR



2-720P

FEATURES

- * 1.0M / 720P IPC
- * IR CUT
- * 3.6mm
- * 3 LED 30M
- * IP66

SPECS

MVTEAM

MVTEAM

Wireless Camera Specs	
Image Sensor	1/4" Progressive Scan Sensor
Signal System	PAL/NTSC
Resolution	1280 x 720 16 : 9 High Definition
Minimum illumination	Color: 0.1 Lux; B/W: 0.01 Lux
Shutter	1/25s to 1/25,000s
Lens	3.6mm
OSD	Date Time & Title
White Balance	Auto
Day&Night	Auto / Color / BW
3D-DNR	Auto
Mirror/Flip	On / Off
Frame Specification	Three Streaming at the Same Time H.264 128x720@30fps or below H.264 640x480@30fps or below
S/N	> 39.1 Db
Interface	RJ45 / WIFI 802.11b/g/n
Anti-thunder Level	Standard IEC61000-4-5
Working Temperature/Humidity	-10℃ to +50℃ / 30% to 80% RH
Storage Temperature/Humidity	-20℃ to +60℃ / 20% to 90% RH
Power Input	DC12V-1A
Power consumption	≤6W
Size	205(L)×70(W)×55 (H)mm
Weight	500g
Level of Protection	IP66

● PRODUCT PICTURE

M'TEAM



3-12VDC/ 2A



4-CD



5



NVR

4CH Wireless NVR Kit

www.mvteamcctv.com

CE

FC

M' TEAM

4CH Wireless NVR Kit

www.mvteamcctv.com

CE

FC

M' TEAM

8CH Wireless NVR Kit

www.mvteamcctv.com

CE

FC

M' TEAM

● FACTORY & OFFICE

M TEAM



● EXHIBITIONS

M TEAM

