

IP66 200P2PIP MVT-M2180

FEATURES



- 1. 1080P POE
- 2. 300
- 3. P2P FTP
- 4.
- 5.
- 6. 1
- 7. CE FCC RoHS
- 8. POE

SPECS



	MVT-M2180
	Hi3516C + SONY IMX222,1 / 2.8"
	H.264 Main Profile MPEG4 MJPEG
	1920×1080 @ 30fps
	1/50 1/60 1 / 100,000
	32Kbps 16Mbps
	300 2.8 12
	M12
	IR-CUT
	ADPCM
	0.05LUX @ 0.01LUX /
	CMS IE
	IP
	P2P RTP RTSP TCP / IP HTTP DHCP DNS DDNS PPPoE SMTP NTP
	Flash
	1 RJ45, 10M / 100M
LED	42PCS LED
	35
IP	IP66



IP 摄像头



在YouTube上观看

▼ CCTV Camera Production Flow

M'TEAM



Brush Pasting



SMT



Reflow Soldering



Inspection



Camera Test 2



Camera Test 1



Assembling



Soldering



Waterproof Test



Ageing Test



Packing



Ready for shipping

▼ CE ROHS FCC

M'TEAM





0000000000 000000
 0000000000000000

0000 00000000

0000 00000000 www.mvteamcctv.com 0000000000000000 CCTV000000