

● FEATURES



1. 1.0MP / 1.3MP
2. ; ;
- 3.
4. AHD 960H / D1
- 5.

● SPECS



| Model | MVT-AH11A | MVT-AH11B |
|------------|---|---|
| Resolution | 1/4" CMOS Pixelplus 1.0M / 720P + OV9712 NVP2431H | 1/3" CMOS Pixelplus 1.3M / 1024P + NXP2430H SONY238 |
| Format | PAL / NTSC | PAL / NTSC |
| Video | HD- AHD / CVBS | HD- AHD / CVBS |
| Resolution | 1280H*720V | 1280H*1024V |
| Light | 0.05LUX @ 0.01LUX / | 0.05LUX @ 0.01LUX / |
| Shutter | 4/25 1 / 45,000s | 4/25 1 / 45,000s |
| Frame Rate | 1280x720 @ 50 fps; 1280x720 @ 60 fps | 1280x1024 @ 50 fps; 1280x1024 @ 60 fps |
| IO | | |
| Input | BNC HDAHD / 1 CVBS | BNC HDAHD / 1 CVBS |
| BLC | | |
| OSD | | |
| AWB | | |
| Color | ICR / B / W | ICR / B / W |
| Weight | 500g 75-3 | 500g 75-3 |
| Power | 12V±10% | 12V±10% |

| | | |
|------|-----------------------------|-----------------------------|
| □□□□ | 30°C□+ 60°C / 95□RH□□□□□□□□ | 30°C□+ 60°C / 95□RH□□□□□□□□ |
| □□ | 4W MAX | 4W MAX |

● PRODUCT PICTURE





AHD cam
+
AHD DVR

AHD cam
+
D1 DVR

Analog cam
+
D1 DVR

● FACTORY & OFFICE





□□□□□□ AHD □□□□□□ □□□□