□□□□CCTV□□AHD TVI CVI CVBS IP NVR 5□1 OEM DVR 6704H80C

PRODUCT PICTURE

Adopt Newest HiSilicon Chipset

New humanized User Interface

System come with 28 kinds of languages

Adjustable DVR menu transparency

Support backup video records to DVR built-in redundant HDD

Support playback different time period video records in one screen, save time on find useful video records

5-in-1 hybrid modes:
AHD+TVI+CVI+CVBS+IP

DVR menu with Ping command, convenient to do DVR network testing

With UTC Function,control analog camera and PTZ camera on DVR thru coaxial cable



Support P2P remote view by CMS and IE browser

Come with cloud ID,easy to realize P2P remote view by scan the QR Codes

Support remote view,record, playback, receive motion detection alarm by Iphone and Andriod Smartphone

SPECS

1.AHD□4□1080N @ 14fps□□□1□1080N□□;
2.AHD□4CH 720P @ 15fps□□□1CH 720P□□;
3.HVR□2CH 1080N @ 14fps□□+ 2CH 1080P @ 25fps IP□□□1CH 1080P @ 25fps□□;
4.NVR□4□1080P @ 25fps IP□□□1□1080P @ 25fps□□;

□□		6704H80C
□□		H.264□□□□
□□		□□□Linux
□□□□□□		□□□□□□□□□□□□□□□□□
□□		□□□□□□□□□□□
□□□□□□		1080N 960 * 1080
□□□□□□		□□□□□□□□□□□□□
□□□□		AHD \ TVI \ CVI□4CH 1080N @ 20fps□□ NVR□4□1080P @ 25fps IP□□
□□□□□□		AHD \ TVI \ CVI□1□1080N□□ NVR□1CH 1080P @ 25fps□□
□□□□		□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□		U□□USB□□□□□□□USB□□□□□□□□□□□
□□□□		□□□ □□□□ □□□□□
□□□□□		□□□□□□
□□□□		□□□□□□□
□□□□	□□□□	4□
	□□□□	□□
	□□□□	10M / 100M base-T□□□□RJ-45□
	USB□□□□	2 x USB 2.0
	RS485	485 * 1
	□□□□	□□
	□□□□	□□
	□□□□	1 SATA HDD□□
	□□□□	□□□ 4TB□□SATA
□□□□		□□Window Mobile□iPhone□iPad□Android
□□		12V /2□□
DVR□□		255 * 45 *235□□
□□		<2.7kg□□□HDD□

□□□□□

□□□□□□□□□□□ □□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□□ www.mvteamcctv.com □□ □□□□□□□□□□□□ □□□ □□□□□□□□