

1080P CCTV 4CH AHD TVI CVI CVBS IP NVR 5 1 OEM DVR 6704H80C

● PRODUCT PICTURE

M TEAM



Adopt Newest HiSilicon Chipset



New humanized User Interface

System come with 28 kinds of languages





Adjustable DVR
menu transparency

Support backup video
records to DVR built-in
redundant HDD



Support playback different
time period video records in
one screen, save time on find
useful video records




5-in-1 hybrid modes:
AHD+TVI+CVI+CVBS+IP



DVR menu with Ping
command, convenient to do
DVR network testing

With UTC Function, control
analog camera and PTZ camera
on DVR thru coaxial cable





Support P2P remote view
by CMS and IE browser

Come with cloud ID, easy to
realize P2P remote view
by scan the QR Codes



Support remote view, record,
playback, receive motion
detection alarm by Iphone
and Andriod Smartphone

● SPECS

M' TEAM

- 1.AHD 4 1080N @ 14fps 1 1080N;
- 2.AHD 4CH 720P @ 15fps 1CH 720P;
- 3.HVR 2CH 1080N @ 14fps + 2CH 1080P @ 25fps IP 1CH 1080P @ 25fps;
- 4.NVR 4 1080P @ 25fps IP 1 1080P @ 25fps;

型號		6704H80C
編碼		H.264雙流
系統		Linux
安裝尺寸		標準DIN規格安裝孔距
重量		約0.9kg
顯示尺寸		1080N 960 * 1080
顯示類型		LED背光顯示屏
通道數		AHD \ TVI \ CVI四CH 1080N @ 20fps NVR四CH 1080P @ 25fps IP
單通道數		AHD \ TVI \ CVI一CH 1080N NVR一CH 1080P @ 25fps
接口		標準VGA、BNC、RJ-45、USB、RS485
音頻		U盤USB播放、USB錄音、USB輸出
語言		國語、英語、粵語
菜單		中文菜單
電源		DC12V
網絡	端口	4口
	速率	百兆
	協議	10M / 100M base-T、TCP/IP、RSTP、IGMPv2、DHCP、PPPoE、QoS、UPnP、RTSP、ONVIF、SIP、HTTP、FTP、NTP、SNMP、SMTP、DDNS、P2P、ISAPI、GB/T28181、ONVIF、SIP、HTTP、FTP、NTP、SNMP、SMTP、DDNS、P2P、ISAPI、GB/T28181
	USB	2 x USB 2.0
	RS485	485 * 1
	擴展	無
	擴展	無
	擴展	1 SATA HDD
		最大支持 4TB SATA
操作系統		Windows Mobile、iPhone、iPad、Android
電壓		12V /2A
DVR尺寸		255 * 45 *235mm
功耗		<2.7kw不含HDD

▼ Packages

M'TEAM

Brand Camera Package



Neutral Camera Package



Brand DVR Package



▼ Shipping

M'TEAM



□□□□

□□□□□□□□□□ □□□□

□□□□□□□□□□

□□□□□□□□□□ www.mvteamcctv.com □□ □□□□□□□□ □□ □□□□□□