

☐☐H.265 1080P 2MP POE☐☐☐☐☐☐☐MVT-M1880S

H.265 Starlight IP Camera

Super Low-Light Effect (Under 0.001 Lux)



Clear Color Mode

● FEATURES



- ```
* Adpots DSP Hi3516CV300 CMOS IMX291 1080P / 2MP
* 0.001Lux
* H.265
* 3MP 2.8-12 35
```

## IP VS

[illegible]

1080p

MVTEAM Starlight IP Camera Clear Color Image at Dayti...



2017-12-13 11:09



MVTEAM Starlight IP Camera Video Record(No Light)



2017-12-13 00:13



Adopt infrared antireflection panel design, make the camera with better night vision.



Quality reflective overlay, surface-emitting technology, can magnify the effect of focus, improve product performance and reliability.



HD 3MP 2.8-12mm vari-focal lens(M12 Mount),bring more clear image.



#### Adjustable Bracket



#### Size





IP66 Waterproof Grade,give you more reliable protection



## ● SPECS

M'TEAM

|       |                                                         |
|-------|---------------------------------------------------------|
| 型號    | <b>MVT-M1880S</b>                                       |
| 鏡頭    | 1 / 2.8"SONY CMOS IMX291                                |
| DSP   | Hi3516CV300                                             |
| 編碼    | H.265 / H.264 / JPEG / AVI / MJPEG                      |
| 解析度   | 1080P 1920 * 1080                                       |
| 幀率    | 1/50~1/60 1 / 100,000                                   |
| 流量    | 32Kbps~16Mbps                                           |
| 鏡頭    | 2.8~12mm M12                                            |
| 鏡頭    | M12                                                     |
| 鏡頭    | IR-CUT                                                  |
| 音頻    | ADPCM                                                   |
| WDR   | DWDR                                                    |
| 照度    | 0.001LUX                                                |
| 紅外線   | 紅外線補光燈CMS IE                                            |
| 網絡    | 網絡協議IP                                                  |
| 網絡    | 協議                                                      |
| 網絡    | P2P RTP RTSP TCP / IP HTTP DHCP DNS DDNS PPPoE SMTP NTP |
| 網絡    | 網絡協議                                                    |
| 網絡    | 1ch RJ45,10M / 100M                                     |
| LED   | 42                                                      |
| 尺寸    | 35                                                      |
| ONVIF | ONVIF 2.4                                               |

1A  
 DC 12V / 1A  
 POE  
 -10°C ~ 50°C

## ▼ Packages

### Brand Camera Package

### Neutral Camera Package

### Brand DVR Package

MVTEAM

## ▼ Shipping

www.mvteamcctv.com

1A

DC 12V / 1A

POE

-10°C ~ 50°C

[www.mvteamcctv.com](http://www.mvteamcctv.com)

CCTV