

● FEATURES



- 1.support P2P-Funktion über IE, QMEYE CMS in PC und iPhone & amp; Android-Handy.
- 2.QMEYE Software kann Rekord unterstützen das Video im Handy und Remote-Wiedergabe der aufgenommenen Video in DVR
- 3.One Client Software kann mutiple Sicherheitskamas verwalten
- 4.Support Weiche Update, Stützen Sie 20 Sprachen

● SPECS



Modell	MVT-CV6516
Compression	Standard H.264 Kompressions
Betrieb	Eingebettet Linux
Image Kodierung-Steuer	Bild bearbeiten einstellbar, sowohl veränderbare und fix Strom fakultativ
Dual-Stream	Kann in jeden Kanal eingestellt werden
Bildmonitor Qualität	720p (1280 × 720)
Bild dynamischen Erkennung	Mehrfach Detektionsbereiche in jedem Kanal
Video Framerate	720P 25FPS / CH (PAL) 30FPS / CH (NTSC)
Bildwiedergabe Qualität	720P TOTAL: 480fps
Video-Modus	Unterstützung manuelle, automatische, dynamische Überwachung, Alarmauslöser Videomodus
Backup-Modus	U-Disk, tragbaren USB-Festplatte, USB-burn, Netzwerkspeicher und Sicherungskopie
Betriebsmodus	Maus . Ferncontroler .Frontblende Kontrolle
lokal anmelden	admin und Kennwort
Aufnahme speichern	lokale Festplatte und Netzwerk-

Video-Eingang	PAL: 720p @ 25/30 FPS Unterstützung 50/60 FPS
Audioeingang	4 x Cinch-
Video-Ausgang	1 * BNC, 1 * VGA, 1 * HDMI
Audioausgang	1 * RCA, 1 * HDMI
Externe Netzwerkschnittstelle	10M / 100M / 1000M Base-T Ethernet (RJ-45)
Schnittstelle	USB-Port anschließen 2 x USB 2.0
	RS485 RS485 * 1
	Alarমেingang 4ch
	Alarmausgang 1ch
Festplatte	Interne Festplatte 2 SATA HDD-Anschluss
	Maximale Kapazität Maximal 3 TB SATA jeweils
	Handy Überwachung Support Windows Mobile, iPhone, iPad, Android, Blackberry, Symbian und 3G
	Macht 12V / 5A
	Betriebs Temperatur -10°C ~ +55°C
	Betriebs Luftfeuchtigkeit 10%-90%
	DVR Größe 380 * 295 * 55mm
	Last & lt; 2,7 kg (ohne Festplatte)

● PRODUCT PICTURE

M' TEAM



HD-CVI

High Definition Composite Video Interface

① Introducing HD-CVI

Use Your Existing
Coax Cable



True HD Quality



Extremely
Cost Effective

② This will change everything!

Go From This



This is traditional
cctv system vedio effect

To This!



This is HD-CVI
720P Full Size

Highlights

- HD 720P Video on coax.
- Long Distance Transmission up to 1600ft.
- Video,RS485 and sound over one cable.

③ Benefits

- Upgrade to Megapixel Quality on your coax cable!
- Long Rane Runs up to 1600ft!
- One Cable for Video,RS485 and Audio!
- No Signal Loss!
- Around the same price as the older analog CCTV technology!



Video



RS485



Easy Install



Audio



P2P-Funktion AV orteile:

- * **Benötigen Sie nicht tun, stabile IP-Adresse Setup**
- * **Benötigen Sie nicht tun, DDNS Setup**
- * **Benötigen Sie nicht tun, Router-Setup**
- * **Reduzieren Sie Ihre After-Sales-Kosten**

HD-CVI CCTV Camera and DVR

- * Low cost high definition surveillance system
- * Support long-distance HD transmission
- * Same installation way as traditional CCTV system

720P HD-CVI camera

1/2.9"CMOS ,1.0M/720P,with IR CUT(PO3100)



MVT-CV11A

Gray and White color optional,
with 6mm Lens,36pcs×Φ5 IR leds,
30m IR Distance,
3-Axis bracket with cable built-in



MVT-CV21A

Gray and White color optional,
with 2.8-12mm vari-focal Lens,
42pcs×Φ5 IR leds,
35m IR Distance,
bracket with cable built-in



MVT-CV73A

with 8mm Lens,
2 pcs 3rd generation LED Array,
50m IR Distance,with bracket



MVT-CV74A

with 16mm Lens,
4 pcs 3rd generation LED Array,
100m IR Distance,with bracket

720P Display&Record HD-CVI DVR



MVT-CV6304

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 1pc hard disk
4-Support P2P network view



MVT-CV6404H

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH



MVT-CV6504

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH



MVT-CV6508

1-8CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH

● FACTORY & OFFICE

M TEAM



● EXHIBITIONS

M TEAM

