

## ● FEATURES



- 1.support P2P function via IE, QMEYE CMS in PC and iPhone & Android mobile phone.
- 2.QMEYE software can support record the video in mobile phone and remote playback the recorded video in DVR
- 3.One Client Software can manage mutiple security cameras
- 4.Support Soft update, Support 20 Languages

## ● SPECS



Model	MVT-CV6516
Compression	H.264 Standard compression
Operation	Embedded Linux
Image coding-control	Image edit adjustable,both changable and fix stream optional
Dual stream	Can be set up in each channel
Monitor image quality	720P(1280×720)
Image dynamic detection	Multiple detection areas in each channel
Video framerate	720P 25FPS/CH(PAL) 30FPS/CH(NTSC)
Image playback quality	720P TOTAL:480FPS
Video mode	Support manual, automatic, dynamic monitoring, alarm trigger video mode
Backup mode	U disk, USB portable disk, USB burn, Network storage and backup
Operate mode	Mouse □ Remote controler □Front Panel Control
login locally	admin and password
Save recording	local hard disk and network

	<b>Video input</b>	PAL:720P@25/30FPS Support 50/60FPS
	<b>Audio input</b>	4×RCA
	<b>Video output</b>	1*BNC,1*VGA,1*HDMI
	<b>Audio output</b>	1*RCA,1*HDMI
<b>External interface</b>	<b>Network interface</b>	10M/100M/1000M base-T Ethernet (RJ-45)
	<b>USB connect port</b>	2 x USB 2.0
	<b>RS485</b>	RS485*1
	<b>Alarm input</b>	4ch
	<b>Alarm output</b>	1ch
<b>Hard disk</b>	<b>Internal HDD</b>	2 SATA HDD port
	<b>Maximum capacity</b>	Maximum 3TB each SATA
	<b>Cell phone monitoring</b>	Support Window Mobile, iPhone,iPad, Android,Blackberry,Symbian and 3G
	<b>Power</b>	12V/5A
	<b>Operating ! Temperature</b>	-10°C□□55°C
	<b>Operating humidity</b>	10□-90□
	<b>DVR size</b>	380*295*55mm
	<b>Weight</b>	<2.7kg(without HDD)



# HD-CVI

High Definition Composite Video Interface

## ① Introducing HD-CVI

Use Your Existing Coax Cable



True HD Quality



Extremely Cost Effective

## ② This will change everything!

Go From This



This is traditional cctv system vedio effect

To This!



This is HD-CVI 720P Full Size

### Highlights

- HD 720P Video on coax.
- Long Distance Transmission up to 1600ft.
- Video,RS485 and sound over one cable.

## ③ Benefits

- Upgrade to Megapixel Quality on your coax cable!
- Long Rane Runs up to 1600ft!
- One Cable for Video,RS485 and Audio!
- No Signal Loss!
- Around the same price as the older analog CCTV technology!



Video



RS485



Easy Install



Audio

## **P2P Function Advantages:**

**\*Don't need do stable IP address setup**

**\*Don't need do DDNS setup**

**\*Don't need do Router setup**

**\*Reducing your after-sales cost**

# HD-CVI CCTV Camera and DVR

- \* Low cost high definition surveillance system
- \* Support long-distance HD transmission
- \* Same installation way as traditional CCTV system

## 720P HD-CVI camera

1/2.9"CMOS ,1.0M/720P,with IR CUT(PO3100)



### MVT-CV11A

Gray and White color optional,  
with 6mm Lens,36pcs×Φ5 IR leds,  
30m IR Distance,  
3-Axis bracket with cable built-in



### MVT-CV21A

Gray and White color optional,  
with 2.8-12mm vari-focal Lens,  
42pcs×Φ5 IR leds,  
35m IR Distance,  
bracket with cable built-in



### MVT-CV73A

with 8mm Lens,  
2 pcs 3rd generation LED Array,  
50m IR Distance,with bracket



### MVT-CV74A

with 16mm Lens,  
4 pcs 3rd generation LED Array,  
100m IR Distance,with bracket

## 720P Display&Record HD-CVI DVR



### MVT-CV6304

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 1pc hard disk  
4-Support P2P network view



### MVT-CV6404H

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH



### MVT-CV6504

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH



### MVT-CV6508

1-8CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH

## ● FACTORY & OFFICE

M TEAM



## ● EXHIBITIONS

M TEAM

