

**Main Features:**

1. Economical Security camera
2. Nice image quality and cheap price
3. widely compatible, able to match AHD DVR and All Standalone DVR
4. Easy to operate, Plug and Play
5. Advanced CMS software supporting 3G remote view

**Application Places**

Apply to the financial, supermarket, telecommunications, government, schools, airports, factories, hotels, museums and other places of requirement of high-definition.

Model	MVT-D5851E
Active Pixel	976*496
Resolution	700tvl
Video Out	1.0Vp-p Composite Signal (75ohm)
SYNC	Internal
Sensor	ICX811AK/810AK
Minimum Illumination	0.01Lux
Gama adjust	0.45
Electric Shutter	PAL:1/50s-1/100000s NTSC:1/60s-1/100000s
S/N Ratio	48dB(min)(AGC closed)
DNR	-
AWB	AUTO
AGC	AUTO
BLC	-
OSD	-
D-WDR	-
SWDR	-

HLC	-
D-Zoom	-
IR-Smart	-
Day/Night	-
Motion	-
Detection	-
Language	-
Power	50mA
Dissipation	
Power Input	DC12V±1V
Operation Temperature	Temperature -10°C□+60°C, Humidity less than 85%RH

---

● PRODUCT PICTURE

M TEAM



## ● FACTORY & OFFICE

M'TEAM



## ● EXHIBITIONS

M'TEAM

