# AHD camera dome cctv companies looking for distributors(MVT-AH35)

### FEATURES



### **Features:**

- 1.0M/1.3M/2.0M pixel full real time optional, Highest resolution 1080P
- •follow HD and CVBS video standard
- •3.6mm(M12) fixed Lens
- support transmission distance above 500M under general 75- 3 coaxial cable without loss
- High-speed, long-distance, real-time transmission
- support OSD menu
- with ICR switching , to achieve Day and Night monitoring
- •Used genuinely imported 3rd generation IR LEDs and megapixel high definition lens, these cameras have been featured as gr eat performance in color restoration, image definition and night viewing.

### **Application Places:**

Apply to the financial, supermarket, telecommunications, government, schools, airports, factories, hotels, museums and other places of requirement of high-definition.

Specs:

MVT-AH35A	IR Vandalproof Dome Cameras,   with 3.6mm(M12) lens   12pcs×Φ5 IR leds 10m IR distance	1/4" CMOS□OV9712+NVP2431H□ 1.0M,with IR CUT
MVT-TAH35N		1/4" CMOS[AR0141+HDI8901] 1.0M,TVI-CVI-AHD-CVBS 4- in-1 Camera
MVT-AH35N		1/4" CMOS  AR0141+NVP2431H   1.0M,Low Illumination,with IR CUT
MVT-AH35T		1/3" CMOS  AR0130+NVP2431H   1.3M, with IR CUT
MVT-AH35B		1/3" CMOS[ SONY225+NVP2431H  ] 1.3M,with IR CUT
MVT-AH35R		1/3" CMOS  AR0237+NVP2441H   2.0M, with IR CUT
MVT-AH35P		1/3" CMOS[ SONY322+NVP2441H    2.0M,with IR CUT

### **Pictures:**













# Reflow Soldering Camera Test 2 Camera Test 1 Assembling Soldering Soldering

# **▼**Packages

Waterproof Test

## M'TEVW

Ready for shipping





Ageing Test





Packing





If you have any inquiry or question, welcome to contact us.