

Main Features:

1. Economical Security camera
2. Nice image quality and cheap price
3. widely compatible, able to match AHD DVR and All Standalone DVR
4. Easy to operate, Plug and Play
5. Advanced CMS software supporting 3G remote view

Application Places

Apply to the financial, supermarket, telecommunications, government, schools, air ports,

factories, hotels, museums and other places of requirement of high-definition.

Model	MVT-D2841O	MVT-D2841Z	MVT-D2851E
Active Pixel	P:720(H)×576(V)	728*488	P: 976*582
	N: 720(H)×487(V)		N: 976*494
Resolution	600TVL	700TVL	700TVL
Video Out	1.0Vp-p Composite Signal (75ohm)	1.0Vp-p Composite Signal (75ohm)	1.0Vp-p Composite Signal (75ohm)
SYNC	Internal		
Sensor	PC7030	PC3089	P: ICX811AK
			N: ICX810AK
Minimum Illumination	0.01Lux	0.01Lux	0.05Lux
□			

Gama adjust	0.45	0.45	0.45
Electric	PAL:1/50s-1/100000s	PAL:1/50s-1/100000s	PAL:1/50s-1/100000s
Shutter	NTSC:1/60s-1/100000s	NTSC:1/60s-1/100000s	NTSC:1/60s-1/100000s
S/N Ratio	48dB(min)(AGC closed)	48dB(min)(AGC closed)	48dB(min)(AGC closed)
DNR	-	-	2D-DNR
AWB	AUTO	AUTO	ATW/PUSH/USER1/
			USER2/ANTI CR/
			MANUAL/PUSH LOCK
AGC	AUTO	AUTO	AUTO
BLC	-	-	ON/OFF
OSD	-	-	YES
D-WDR	-	-	LOW/MID/HIGH
SWDR	-	-	-
HLC	-	-	ON/OFF
D-Zoom	-	-	-
IR-Smart	-	-	ON/OFF
Day/Night	-	-	Auto,Color,
			B/W,Ext1,Ext2
Motion Detection	-	-	4 areas optional



● EXHIBITIONS

