

**Main Features:**

1. Economical Security camera
2. Nice image quality and cheap price
3. widely compatible, able to match AHD DVR and All Standalone DVR
4. Easy to operate, Plug and Play
5. Advanced CMS software supporting 3G remote view

**Application Places**

Apply to the financial, supermarket, telecommunications, government, schools, airports, factories, hotels, museums and other places of requirement of high-definition.

Model	MVT-R4641N	MVT-R4651A
Active Pixel	976*496	P: 976*582 N: 976*494
Resolution	800TVL	900TVL
Video Out	1.0Vp-p Composite Signal (75ohm)	1.0Vp-p Composite Signal (75ohm)
SYNC	Internal	Internal
Sensor	PC1099	P: ICX811AK N: ICX810AK
Minimum Illumination	0.01Lux	0.05Lux
Gama adjust	0.45	0.45
Electric Shutter	PAL:1/50s-1/100000s NTSC:1/60s-1/100000s	PAL:1/50s-1/100000s NTSC:1/60s-1/100000s
S/N Ratio	48dB(min)(AGC closed)	52dB(min)
DNR	-	3D-DNR ATW/PUSH/USER1/ USER2/ANTI CR/ MANUAL/PUSH LOCK
AWB	AUTO	
AGC	AUTO	AUTO
BLC	-	ON/OFF

OSD	-	YES
D-WDR	-	-
SWDR	-	OFF/Low/Midlow/ Mid/Midhigh/High
HLC	-	ON/OFF
D-Zoom	-	1-256
IR-Smart	-	ON/OFF
Day/Night	-	Auto□Color□Ext
Motion	-	4 areas optional
Detection	-	
Language	-	8 kinds
Power		
Dissipation	50mA	120mA
Power Input	DC12V±1V	DC12V±1V
Operation	Temperature -10°C□+60°C, Humidity	Temperature -10°C□+60°C, Humidity
Temperature	less than 85%RH	less than 85%RH

## ● PRODUCT PICTURE

**M TEAM**



## ● FACTORY & OFFICE

M'TEAM



## ● EXHIBITIONS

M'TEAM

