

Digital Video Recorder for CCTV 4MP 2560*1440 8 Channel Hybrid DVR(6408H400)

● Features

M TEAM

Adopt Newest HiSilicon
Chipset



New humanized
User Interface



System come with
28 kinds of languages



Adjustable DVR
menu transparency



Support backup video
records to DVR built-in
redundant HDD



Support playback different
time period video records in
one screen, save time on find
useful video records



5-in-1 hybrid modes:
AHD+TVI+CVI+CVBS+IP




DVR menu with Ping command, convenient to do
DVR network testing



With UTC Function, control
analog camera and PTZ camera
on DVR thru coaxial cable



Support P2P remote view
by CMS and IE browser



Come with cloud ID, easy to
realize P2P remote view
by scan the QR Codes



Support remote view, record,
playback, receive motion
detection alarm by Iphone
and Andriod Smartphone



1-4MP(2048*1536) Hybrid DVR,support 4MP,3MP,2MP,1.3MP,1MP AHD/TVI/IP and 2MP,1.3MP,1MP CVI Cameras.

2-Different modes optional:

- 1)AHD/TVI:8CH 3MP@25fps recording, 4CH 3MP playback;
- 2)AHD/TVI:8CH 4MP@15fps recording, 8CH 4MP playback;
- 3)AHD/TVI:8CH 1080P@25fps recording, 8CH 1080P playback;
- 4)HVR:4CH 3MP@25fps Analog + 4CH 3MP@25fps IP recording, 4CH 3MP@25fps playback;
- 5)NVR:8CH 1080P@25fps IP recording, 8CH 1080P@25fps playback;
- 6)NVR:8CH 3MP@25fps IP recording, 8CH 3MP@25fps playback;
- 7)NVR:4CH 5MP@25fps IP recording, 4CH 5MP@25fps playback;

3-Support P2P remote view on mobile and PC

| | | |
|-------------------------|---|----------------------------------|
| Model | 6408H400 | |
| Compression | H.264 Standard compression | |
| Operation | Embedded Linux | |
| Image coding-control | Image edit adjustable,both changable and fix stream optional | |
| Dual stream | Can be set up in each channel | |
| Monitor image quality | 4MP(2560*1440),3MP(2048*1536),1080P,1024P,720P | |
| Image dynamic detection | Multiple detection areas in each channel | |
| Hybrid | AHD,TVI,CVI,IP,CVBS | |
| Video mode | Support manual, automatic, dynamic monitoring, alarm trigger video mode | |
| Backup mode | U disk, USB portable disk, USB burn, Network storage and backup | |
| Operate mode | Mouse, remote controller, front panel | |
| login locally | without password | |
| Save recording | local hard disk and network | |
| External interface | Video input | 8*BNC |
| | Audio input | 4*RCA |
| | Network interface | 10M/100M base-T Ethernet (RJ-45) |
| | USB connect port | 2*USB 2.0 |
| | RS485 | RS485*1 |
| | Alarm input | 4CH |
| | Alarm output | 1CH |
| | Internal HDD | 2 SATA HDD port |
| | Maximum capacity | Maximum 4TB each SATA□ |
| Cell phone monitoring | Support Window Mobile, iPhone,iPad, Android | |
| Power | 12V/3A | |

| | |
|----------|-----------------------|
| DVR size | 340(L)*265(W)*70(H)mm |
| Weight | <3.5kg(without HDD) |

● PRODUCT PICTURE





M TEAM

● FAQs

M TEAM

1-Does the dvr come with hard disk?

The DVRs don't come with hard disk,but we also

2- How to increase recording time?

- a. Install more hard disks
- b. set the dvr to motion detection record
- c. reduce the recording resolution and frame rate

3- Does the DVR support P2P?

Yes, the dvr come with cloud id, support P2P remote view on mobile phone and computer.

4- what's the mobile phone view app of the dvr?

The mobile phone app is "**Topview**"

5- What's the resolution of your dvr's?

720P, 1080N (1080H), 1080P optional

▼ Packages

M'TEAM

| Brand Camera Package | Neutral Camera Package | Brand DVR Package |
|--|--|--|
|  |  |  |

▼ Shipping


M'TEAM

www.mvteamcc.com

▼ Sales Office and Sample room **M' TEAM**



▼ Our factory and production workflow **M' TEAM**



▼ Trade Shows **M' TEAM**



Contact us:

If you have any question, welcome to [contact us](#).

Your close attention to our company is highly appreciated.

Welcome to visit our official website www.mvteamcctv.com to view [video demos](#),[download product catalog](#) and read [CCTV technical articles](#).

sdfadfasdfasdfasd