

Hotel Door Lock 304 Stainless Steel Key Card Door Lock for Broken Bridge Aluminum Door Sliding Door Aluminum Alloy Door

M TEAM



Features

- 1- Hotel special material: zinc alloy
- 2- Panel size: 300mm*45mm
- 3- Lock mortise size: 240mm*22mm
- 4- Color: Silver, Titanium gray, Red brone
- 5- Power supply mode: 4pcs AA batteries

6- Scope of application: broken bridge aluminum door, sliding door, plastic steel door, aluminum alloy door, aluminum glass door

Multi-Color Selection



Red bronze



Titanium gray



Sliver

Lock Mortise



Unit: mm

Door Opening Direction



Left Handle



Right handle

Matters needing attention:

There are 4 door types as below drawing showing, Please let us know:

- 1.what types of the doors?
- 2.how many quantity per each type?



A

Left Handle (push)



B

Right Handle (Push)



C

Left Handle (pull)



D

Right Handle (Pull)

A: left handle push the door to enter the room.

B: left handle pull the door to enter room.

C: right handle push the door to enter the room.

D: right handle pull the door to enter the room.

Are there heaven and earth hook of the door?



How to check?

1. Touch the top edge of the door to check if there are lock holes.
2. When the door lock is in pop up status, check whether there are lock tongues pops out on the top edge of the door.

With bolt No bolt

Measurement



- A Lock side bar length
- B Lock side bar width
- C Door thickness
- D Door frame bar width
- E Door frame bar length

Please send above measurement data to us.
We will recommend the correct locks to you.

Contact us

We export the smart door locks to all over the world.

If you have any questions or inquiry about the products, welcome to [contact us](#).

We will reply you within 24 hours and quote the best wholesale prices to you.