

## Hybrid DVR Wholesale 16CH 1080N CCTV DVR Recorder(6516H80H)

### ● PRODUCT PICTURE

M' TEAM





**MVTEAM**

## [A Letter to Customers who buy MVTEAM 5-in-1 DVRs](#)

### ● FEATURES

**MVTEAM**

## Adopt Newest HiSilicon Chipset



## New humanized User Interface

## System come with 28 kinds of languages





Adjustable DVR  
menu transparency

Support backup video  
records to DVR built-in  
redundant HDD



Support playback different  
time period video records in  
one screen, save time on find  
useful video records



5-in-1 hybrid modes:  
AHD+TVI+CVI+CVBS+IP




DVR menu with Ping  
command, convenient to do  
DVR network testing

With UTC Function, control  
analog camera and PTZ camera  
on DVR thru coaxial cable







Support P2P remote view  
by CMS and IE browser

Come with cloud ID, easy to  
realize P2P remote view  
by scan the QR Codes



Support remote view, record,  
playback, receive motion  
detection alarm by Iphone  
and Andriod Smartphone

## ● SPECS

M'TEAM

### Optional different modes:

- 1.AHD,TVI,CVI,CVBS:16CH 1080N@15fps recording,4CH 1080N playback;
- 2.AHD,TVI,CVI,CVBS:16CH 1080N@12fps recording,16CH 1080N playback;
- 3.AHD,TVI,CVI,CVBS:12CH 1080N@15fps recording+4CH 1080P@25fps IP recording,2CH 1080P playback;
- 4.AHD,TVI,CVI,CVBS:8CH 1080N@15fps Analog + 8CH 1080P@25fps IP recording,2CH 1080P@25fps

playback

5.AHD,TVI,CVI,CVBS:4CH 1080N@15fps Analog+12CH 1080P@25fps IP recording,2CH 1080P@25fps playback

6.16CH 960P@25fps IP recording,4CH 960P@25fps playback

7.Audio: 8ch input, 1ch output

8.Alarm:4ch input,1ch output

Model		6516H80H
Compression		H.264 Standard compression
Operation		Embedded Linux
Image coding-control		Image edit adjustable,both changable and fix stream optional
Dual stream		Can be set up in each channel
Monitor image quality		16*1080N(AHD,TVI,CVI,CVBS), 16*960P/960P IP recording
Image dynamic detection		Multiple detection areas in each channel
Video framerate		1080N 15FPS/CH AHD; 1080P/960P 25FPS NVR
Image playback quality		AHD,TVI,CVI,CVBS: 1080N ; NVR:1080P/960P@25FPS
Video mode		Support manual, automatic, dynamic monitoring, alarm trigger video mode
Backup mode		U disk, USB portable disk, USB burn, Network storage and backup
Operate mode		Mouse, remote controller, front panel
login locally		without password
Save recording		local hard disk and network
External interface	Video input	1080N 15FPS AHD,TVI,CVI,CVBS;1080P/960P@25FPS NVR
	Audio input	8*RCA
	Network interface	10M/100M base-T Ethernet (RJ-45)
	USB connect port	2*USB 2.0
	RS485	RS485*1
	Alarm input	4CH
	Alarm output	1CH
	Internal HDD	2 SATA HDD port
	Maximum capacity	Maximum 4TB each SATA□
Cell phone monitoring		Support Window Mobile, iPhone,iPad, Android
Power		12V/3A
DVR size		380mm×295mm×55mm
Weight		<3.5kg(without HDD)

More dvrs:

[32CH 1080N DVR 62B32H80H](#)

[16CH 1080P Hybrid DVR 6516H80P](#)  
[Small Size 8CH 1080P DVR 6708H80P](#)  
[Hot Sale 4CH 1080P DVR 6704H80P](#)

**[Ask for price list now!](#)**

## ● FAQs

**M'TEAM**

1) Does the dvr come with hard disk?

The DVRs don't come with hard disk. If you need buy hard disk from us, we could install hard disk into DVR.

2) Does the DVR support P2P?

Yes, the dvr come with cloud id, support P2P remote view on mobile phone and computer.

3) What's the mobile phone view app of the dvr?

The mobile phone app is "Topsview"

4) What's the resolution of your dvr's?

720P, 1080N (1080H), 1080P optional

5) Does your NVR support ONVIF IP camera ?

We suggest you make a test sample, NVR support ONVIF, but IP camera and NVR from different factory are not compatible.

More questions about DVRs, please check at: [Technical Article for DVR/NVR](#)

## ▼ Packages

**M'TEAM**

Brand Camera Package



Neutral Camera Package



Brand DVR Package





## ▼ Shipping

M'TEAM



### Contact us:

If you have any question, welcome to [contact us](#).

Your close attention to our company is highly appreciated.

Welcome to visit our official website [www.mvteamcctv.com](http://www.mvteamcctv.com) to view [video demos](#), [download product catalog](#) and read [CCTV technical articles](#).