

Main Features:

1. Economical Security camera
2. Nice image quality and cheap price
3. widely compatible, able to match AHD DVR and All Standalone DVR
4. Easy to operate, Plug and Play
5. Advanced CMS software supporting 3G remote view

Application Places

Apply to the financial, supermarket, telecommunications, government, schools, air ports, factories, hotels, museums and other places of requirement of high-definition.


Model	MVT-D29410	MVT-D2941Z	MVT-D2951E
Active Pixel	P:720(H)×576(V)	728*488	P: 976*582
	N: 720(H)×487(V)		N: 976*494
Resolution	600TVL	700TVL	700TVL
Video Out	1.0Vp-p Composite Signal (75ohm)	1.0Vp-p Composite Signal (75ohm)	1.0Vp-p Composite Signal (75ohm)
SYNC	□	Internal	
Sensor	PC7030	PC3089	P: ICX811AK N: ICX810AK
Minimum Illumination	0.01Lux	0.01Lux	0.05Lux
Gama adjust	0.45	0.45	0.45
Electric Shutter	PAL:1/50s-1/100000s NTSC:1/60s-1/100000s	PAL:1/50s-1/100000s NTSC:1/60s-1/100000s	PAL:1/50s-1/100000s NTSC:1/60s-1/100000s
S/N Ratio	48dB(min)(AGC closed)	48dB(min)(AGC closed)	48dB(min)(AGC closed)
DNR	-	-	2D-DNR
AWB	AUTO	AUTO	ATW/PUSH/USER1/ USER2/ANTI CR/ MANUAL/PUSH LOCK
			AUTO
AGC	AUTO	AUTO	AUTO

BLC	-	-	ON/OFF
OSD	-	-	YES
D-WDR	-	-	LOW/MID/HIGH
HLC	-	-	ON/OFF
D-Zoom	-	-	-
IR-Smart	-	-	ON/OFF
Day/Night	-	-	Auto,Color, B/W,Ext1,Ext2
Motion Detection	-	-	4 areas optional
Language	-	-	8 kinds
Power Dissipation	50mA	50mA	80mA

● PRODUCT PICTURE



● FACTORY & OFFICE



● EXHIBITIONS

