

MVTEAM 1080P AHD DVR Work with 2MP AHD Camera

● Features

M' TEAM

Chipset: HI3531

Hybrid DVR, can connect IP camera, AHD Camera, CVBS Camera at same time

NVR Mode: 8*1080P

AHD DVR Mode: 8*1080P

Analog CVBS DVR Mode:8*960H

Audio: 8ch input, 1ch output

Alarm: 4ch input, 1ch output

● Specifications

M' TEAM

| | | |
|-------------------------|---|---|
| Model | AH6508H80P | |
| Compression | H.264 Standard compression | |
| Operation | Embedded Linux | |
| Image coding-control | Image edit adjustable,both changable and fix stream optional | |
| Dual stream | Can be set up in each channel | |
| Monitor image quality | 8*1080P (AHD), 16*1080P (NVR) | |
| Image dynamic detection | Multiple detection areas in each channel | |
| Video framerate | 8*1080P 20FPS/CH AHD, 16*1080P 25FPS/CH NVR | |
| Image playback quality | AHD 8*1080P 160FPS, 16*1080P 200FPS | |
| Video mode | Support manual, automatic, dynamic monitoring, alarm trigger video mode | |
| Backup mode | U disk, USB portable disk, USB burn, Network storage and backup | |
| Operate mode | Mouse, Remote controller,Front Panel Control | |
| login locally | admin and password | |
| Save recording | local hard disk and network | |
| External interface | Video input | 8*1080P 20FPS/CH AHD, 16*1080P 25FPS/CH NVR |
| | Audio input | 8×RCA |
| | Network interface | 10M/100M base-T Ethernet (RJ-45) |
| | USB connect port | 2 x USB 2.0 |
| | RS485 | RS485*1 |
| | Alarm input | 4ch input |
| | Alarm output | 1ch output |
| | Internal HDD | 2 SATA HDD port |
| Maximum capacity | Maximum 4TB each SATA□ | |
| Cell phone monitoring | Support Window Mobile, iPhone,iPad, Android | |
| Power | 12V/4A | |
| DVR size | 340(L)*265(W)*70(H)mm | |
| Weight | <3.2kg(without HDD) | |

● Product picture

M' TEAM

1080P AHD DVR 8CH WIFI Hybrid DVR

Full 1080P

www.mvteamcctv.com




M' TEAM

Mobile Phone View

(All MVTEAM DVR, AHD DVR, CVI DVR, SDI DVR, NVR support)




Achieve Monitoring All kinds of Cameras in One Screen on Computer



P2P Function Advantages:

- *No stable IP address needed
- *No DDNS setup needed
- *No Router setup needed
- *Reducing your after-sales cost



Hybrid

The DVR have several modes for optional:

- *AHD Camera + IP Camera + Analog CVBS Camera
- *AHD Camera
- *IP Camera
- *Analog CVBS Camera



● EXHIBITIONS

