Features



Chipset: HI3520D

Hybrid DVR, can connect IP camera, AHD Camera, CVBS Camera at same time

NVR Mode: 8*1080P AHD DVR Mode: 8*1080H Analog CVBS DVR Mode:8*

Analog CVBS DVR Mode:8*960H Audio: 1ch input, 1ch output

Sepcifications



Model		AH6408H80H
Compression		H.264 Standard compression
Operation		Embedded Linux
Image coding-control		Image edit adjustable,both changable and fix stream optional
Dual stream		Can be set up in each channel
Monitor image quality		8*1080H (AHD), 8*1080P (NVR)
Image dynamic detection		Multiple detection areas in each channel
Video framerate		8*1080H 20FPS/CH AHD, 8*1080P 25FPS/CH NVR
Image playback quality		AHD 8*1080H 160FPS, 8*1080P 100FPS
Video mode		Support manual, automatic, dynamic monitoring, alarm trigger video mode
Backup mode		U disk, USB portable disk, USB burn, Network storage and backup
Operate mode		Mouse, Remote controller,Front Panel Control
login locally		admin and password
Save recording		local hard disk and network
External interface	Video input	8*1080H 20FPS/CH AHD, 8*1080P 25FPS/CH NVR
	Audio input	8×RCA
	Network interface	10M/100M base-T Ethernet (RJ-45)
	USB connect port	2 x USB 2.0
	RS485	RS485*1
	Alarm input	4ch input
	Alarm output	1ch output
	Internal HDD	2 SATA HDD port
	Maximum capacity	Maximum 4TB each SATA□
Cell phone monitoring		Support Window Mobile, iPhone,iPad, Android
Power		12V/4A
DVR size		340(L)*265(W)*70(H)mm
Weight		<3.2kg(without HDD)

Product picture






● P2P FUNCTION M' T≣∧M

Mobile Phone View

(All MVTEAM DVR, AHD DVR, CVI DVR, SDI DVR, NVR support)



Achieve Monitoring All kinds of Cameras in One Screen on Computer



P2P Function Advantages:

- *No stable IP address needed
- *No DDNS setup needed
- *No Router setup needed
- *Reducing your after-sales cost

● DVR Menu M'T≡∧M







Hybrid

The DVR have several modes for optional:

- *AHD Camera + IP Camera + Analog CVBS Camera
- *AHD Camera
- *IP Camera
- *Analog CVBS Camera



