# Mini Size Waterproof 1MP/1.3MP/2MP AHD CCTV Home Camera(MVT-AH20)

#### FEATURES

MYTEAM

#### **Main Features:**

- 1.0M/1.3M/2.0M pixel full real time optional, Highest resolution 1080P
- •AHD,CVI,TVI,analog 4 in 1 camera optional
- •3.6mm or 6mm(M12) fixed Lens
- Water Resistant Rate:IP66
- support transmission distance above 500M under general 75- 3 coaxial cable without loss
- High-speed, long-distance, real-time transmission
- · support OSD menu
- with ICR switching , to achieve Day and Night monitoring
- •Used genuinely imported 3rd generation IR LEDs and megapixel high definition lens, these cameras have been featured as greatperformance in color restoration, image definition and night viewing.

#### **Application Places:**

Apply to the financial, supermarket, telecommunications, government, schools, airports, factories, hotels, museums and other placesof requirement of high-definition.

#### SPECS



Model No.	Key Specifications	
MVT-AH20A	Gray, White color optional, with 3.6mm or 6mm(M12) Lens, 24pcs×Φ5 IR leds,20m IR Distance, triaxial bracket with cable built-in	1/4" CMOS(H42+NVP2432) 1.0MP, with IR CUT
MVT-TAH20N		1/4" CMOS(AR0141+HDI890) 1.3MP, TVI-CVI-AHD-CVBS 4-in-1 Camera
MVT-AH20N		1/4" CMOS(AR0141+NVP2431H) 1.3MP, Low Illumination,with IR CUT
MVT-AH20T		1/3" CMOS(AR0130+NVP2431H) 1.3MP, with IR CUT
MVT-AH20B		1/3" CMOS (SONY225+NVP2431H) 1.3MP, with IR CUT
MVT-AH20P		1/3" CMOS(SONY322+NVP2441H ) 2.0MP, with IR CUT

#### Other parameters

SIGNAL	PAL / NTCS
Video Output	HD-AHD/CVBS
Min. Illumination	0.01Lux F1.2
Shutter	4/25s~1/45,000s
Synchronization	Internal
Video Output	1-channel BNC HDAHD/CVBS high definition video output
BLC	optional
OSD	optional
AWB	Automatic / manual / day / night

Day/Night	Auto(ICR) / Color / B/W
Transmission Distance	Over 500m via 75-3 coaxial cable
Power Supply	DC 12V±10%
Working Environment	-30°C~+60°C/Less than 95%RH(no condensation)
Power Consumption	4W MAX

# **▼ Different Size Optional**

## M'TEVW



## 20 Series

- 3.6mm or 6mm(M12) Lens
- 24pcs×Φ5 IR leds
- 20m IR Distance







## 11 Series

- 3.6mm or 6mm(M12) Lens
- 36pcs×Φ5 IR leds
- 30m IR Distance







## 30 Series

- •8mm(M12) Lens
- 42pcs×Φ5 IR leds
- 35m IR Distance



# **▼CCTV** Camera Production Flow

## M'TEVW



Brush Pasting



SMT



Reflow Soldering



Inspection



Camera Test 2



Camera Test 1



Assembling



Soldering





Waterproof Test



Ageing Test



Packing



Ready for shipping

# **▼CE ROHS FCC**

# M'TEVW







### • FACTORY & OFFICE M'TEAM













• EXHIBITIONS M'TEAM



If you have any question, welcome to contact us.

Your close attention to our company is highly appreciated.

Welcome to visit our official website <u>www.mvteamcctv.com</u> to <u>view video demos,download product catalog</u> and read <u>CCTV technical articles</u>.