

**Main Features:**

- 1.0M / 1.3M / 2.0M pixel full optional real-time, high definition 1080P
- The follow-HD and CVBS video standard
- Fixed lens 6mm (M12)
- Waterproof Rating: IP66
- 75-3 general support under the coaxial cable transmission distance without loss of over 500M
- High-speed, long-distance, real-time transmission
- Support OSD
- IC transition, to reach day and night viewing
- 3rd generation actually imported used IR LEDs and high-resolution megapixel lens, this camera color restoration, image definition, and has been featured as a big performance night vision.

**Applications:**

Finance, supermarkets, telecommunications, government, schools, airports, factories, hotels, museums and other places to apply the high-resolution requirements.

<b>Model</b>	<b>MVT-AH14P</b>
<b>Sensor</b>	1/3" CMOS pixelplus 2.0M/ 1080P SON322
<b>SIGNAL</b>	PAL / NTCS
<b>Video Output</b>	HD-AHD/CVBS
<b>Effective Pixels</b>	1920(H)*1080(V)
<b>Min. Illumination</b>	0.01Lux F1.2
<b>Shutter</b>	4/25s~1/45,000s
<b>Synchronization</b>	Internal
<b>Video Output</b>	1-channel BNC HDAHD/CVBS high definition video output
<b>BLC</b>	optional
<b>OSD</b>	optional
<b>AWB</b>	Automatic / manual / day / night
<b>Day/Night</b>	Auto(ICR) / Color / B/W
<b>Transmission Distance</b>	Over 500m via 75-3 coaxial cable
<b>Power Supply</b>	DC 12V±10%
<b>Working Environment</b>	30°C~+60°C/Less than 95%RH(no condensation)
<b>Power Consumption</b>	4W MAX

● PRODUCT PICTURE

M TEAM



● FACTORY & OFFICE

M TEAM



● EXHIBITIONS

