

## New Technology 1080N 960\*1080 4CH IP AHD TVI CVI Hybrid WiFi DVR (6704H80W)



### ● FEATURES

M' TEAM



### New Technology

There is a WIFI module in the back panel of DVR, users could connect the dvr to internet via WIFI.

Wifi ✕

SSID	Authentication	Signal
ChinaNet-f5Ts	WPA1PSKWPA2!	Excellent
TP-LINK_91CA	WPA1PSKWPA2!	Excellent
ChinaNet-iUvQ	WPA1PSKWPA2!	Excellent
WaiMaoRouter	WPA1PSKWPA2!	Excellent
ChinaNet-9gVK	WPA1PSKWPA2!	Excellent
MVT	WPA2PSK	Excellent
	OPEN	Good
	WPA1PSKWPA2!	Good
ChinaNet-Yscb	WPA1PSKWPA2!	Good
520	WPA1PSKWPA2!	Good

Enable  DHCP Enable

SSID

Password

IP Address

Subnet Mask

Gateway

## Adopt Newest HiSilicon Chipset



## New humanized User Interface


## System come with 28 kinds of languages





Adjustable DVR menu transparency


Support backup video records to DVR built-in redundant HDD



Support playback different time period video records in one screen, save time on find useful video records



5-in-1 hybrid modes:  
AHD+TVI+CVI+CVBS+IP



DVR menu with Ping command, convenient to do DVR network testing

With UTC Function, control analog camera and PTZ camera on DVR thru coaxial cable



● SPECS



- 1- AHD / TVI / CVI:4CH 1080N@25fps recording, 4CH 6fps 1080N playback
- 2- HVR: 2CH 1080N@25fps Analog + 2CH 1080P@25fps IP recording,1CH 1080P@25fps playback
- 3- NVR: 4CH 1080P@25fps IP recording, 1CH 1080P@25fps playback
- 4- audio: 4CH input
- 5- HDMI output

<b>The model</b>	6704H80W	
<b>Compression</b>	H.264 compression standard	
<b>Operation</b>	Embedded Linux	
<b>The encoding of the image control</b>	Image editing, both variables and fix the optional stream	
<b>Dual stream</b>	You can configure each channel	
<b>The image quality of the monitor</b>	1080N	
<b>Dynamic detection of image</b>	A variety of detection areas in each channel	
<b>Video frame rate</b>	25fps	
<b>The quality of the image</b>	1080N	
<b>Video mode</b>	Manual, automatic, dynamic monitoring, video mode an alarm trigger	
<b>Backup mode</b>	On disk, a portable USB drive, USB recording, network storage and backup	
<b>Mode of operation</b>	The mouse, Remote control, Front panel	
<b>Log on locally</b>	Admin and password	
<b>Save recording</b>	local hard disk and network	
<b>External interface</b>	<b>Video input</b>	4CH
	<b>Audio input</b>	4*RCA
	<b>The network interface</b>	10 m/100 m base-T Ethernet (RJ-45) or WiFi
	<b>USB port connection</b>	2 USB 2.0
	<b>RS485</b>	RS485 * 1
	<b>Alarm input</b>	#
	<b>Alarm output</b>	#
	<b>Internal hard drive</b>	1 SATA HDD
	<b>Maximum capacity</b>	The maximum 4TB SATA
<b>Cell phone monitoring</b>	Support the window Mobile, iPhone, iPad, Android	
<b>Power supply</b>	12V/2(A)	
<b>The Size Of The DVR</b>	255 * 45 * 235 mm	
<b>The weight of the</b>	< 2.7 kg (without HDD)	

## ▼ Packages

M'TEAM

Brand Camera Package



Neutral Camera Package



Brand DVR Package



## ▼ Shipping

M'TEAM



### Contact us:

If you have any questions, feel free to [Contact us](#).

Your attention to our company is highly appreciated.

We invite you to visit our official website [www.mvteamcctv.com](http://www.mvteamcctv.com) To display the [video demonstrations](#), [Download product catalog](#) and read [Technical articles, CCTV](#).