

New Technology 4MP AHD TVI CVI IP CVBS Hybrid 8 Channel DVR(6708H400)

● Features

MTEAM

Adopt Newest HiSilicon Chipset



New humanized User Interface



System come with 28 kinds of languages



Adjustable DVR menu transparency



Support backup video records to DVR built-in redundant HDD



Support playback different time period video records in one screen, save time on find useful video records



5-in-1 hybrid modes: AHD+TVI+CVI+CVBS+IP



DVR menu with Ping command, convenient to do DVR network testing



With UTC Function, control analog camera and PTZ camera on DVR thru coaxial cable



Support P2P remote view by CMS and IE browser



Come with cloud ID, easy to realize P2P remote view by scan the QR Codes



Support remote view, record, playback, receive motion detection alarm by Iphone and Andriod Smartphone



● Specifications

1-4MP(2048*1536) Hybrid DVR,support 4MP,3MP,2MP,1.3MP,1MP AHD/TVI/IP and 2MP,1.3MP,1MP CVI Cameras.

2-Different modes optional:

- 1)AHD/TVI:8CH 3MP@25fps recording, 4CH 3MP playback;
- 2)AHD/TVI:8CH 4MP@15fps recording, 8CH 4MP playback;
- 3)AHD/TVI:8CH 1080P@25fps recording, 8CH 1080P playback;
- 4)HVR:4CH 3MP@25fps Analog + 4CH 3MP@25fps IP recording, 4CH 3MP@25fps playback;
- 5)NVR:8CH 1080P@25fps IP recording, 8CH 1080P@25fps playback;
- 6)NVR:8CH 3MP@25fps IP recording, 8CH 3MP@25fps playback;
- 7)NVR:4CH 5MP@25fps IP recording, 4CH 5MP@25fps playback;

3-Support P2P remote view on mobile and PC

Model	6708H400	
Compression	H.264 Standard compression	
Operation	Embedded Linux	
Image coding-control	Image edit adjustable,both changable and fix stream optional	
Dual stream	Can be set up in each channel	
Monitor image quality	4MP(2560*1440),3MP(2048*1536),1080P,1024P,720P	
Image dynamic detection	Multiple detection areas in each channel	
Hybrid	AHD,TVI,CVI,IP,CVBS	
Video mode	Support manual, automatic, dynamic monitoring, alarm trigger video mode	
Backup mode	U disk, USB portable disk, USB burn, Network storage and backup	
Operate mode	Mouse, Remote controller,Front Panel Control	
login locally	admin and password	
Save recording	local hard disk and network	
External interface	Video input	8xBNC
	Audio input	4×RCA
	Network interface	10M/100M base-T Ethernet (RJ-45)
	USB connect port	2 x USB 2.0
	RS485	RS485*1
	Alarm input	NO
	Alarm output	NO
	Internal HDD	1 SATA HDD port
	Maximum capacity	Maximum 4TB each SATA
Cell phone monitoring	Support Window Mobile, iPhone,iPad, Android	
Power	12V/2A	

DVR size	255*45*235mm
Weight	<2.7kg(without HDD)

● **PRODUCT PICTURE**





M TEAM

▼ Packages

M'TEAM

Brand Camera Package



Neutral Camera Package



Brand DVR Package




▼ Shipping

M'TEAM



▼ Sales Office and Sample room **M' TEAM**



▼ Our factory and production workflow **M' TEAM**



▼ Trade Shows **M' TEAM**



Contact us:

If you have any question, welcome to [contact us](#).

Your close attention to our company is highly appreciated.

Welcome to visit our official website www.mvteamcctv.com to view [video demos](#), [download product catalog](#) and read [CCTV technical articles](#).