


Plug and Play 8CH WIFI NVR Kit with CE,Rohs,FCC Certificates(MVT-K08)

Installation diagram



What's the wireless NVR Kit included?

- 1pc 8ch wireless HD NVR with build-in 10" inch LCD Screen and WIFI module
- 8pcs Outdoor HD Wireless IP Camera
- 8pcs 12V(DC)/2A power adaptors
- 1pc detailed quick installation guide manual
- 1pc CD come with CMS softwares and instructions

Specs of each item

1-8CH Wireless NVR

● FEATURES



- *Built-in 10" inch HD LCD Screen (resolution:1280*1024),which support 330 degree rotate,
- *built-in high functional and stability wireless WI-FI routing module, support 802.11b/g/n protocol,150Mbps,

*HDMI output.

*Video input:8*720P;8*960P,Playback:8*960H,4*720P; 8*960P

*3pcs USB interfaces, Support HDD up to 4TB,cloud technology, P2P,mouse x1

● SPECS



Wireless NVR Specs		
Operating System	Embedded Linux OS	
AV(audio/video)input	Network Video	8CH
	Network video input broadband	20Mbps
AV (audio/video) output	HDMI input	1ch,resolution:1024x768,1366x768,1440x900,1920x1080p
AV CODEC Specification	Video Resolution	D1/720P
	synch-playback	8CH
Video Control	Video/Capture mode	Maual,Time,Motion
	Playback mode	Real time,Routine,Event
	Backup	USB backup
Hard Disk	Type	1*SATA interface
	Max Capacity	4 TB at most for each
External Interface	Network Interface	1 adaptable RJ45 10M/100M, 2 WIFI interface
	USB Interface	3 USB 2.0
Network Control	Protocol	UPnP (play&plug),SMTP (email survice),PPPoE (dial-up),DHCP (Automatically obtain an IP address), etc...
Others	Power	DC12V3A
	Power Consumption (W)	≤5W(Without HDD)
	Operate Temperature (°C)	-10°C~+55°C
	Working Humidity (%) RH	10%~90%
	Size	257mm(W)×210mm(V)×45mm(H)
	Weight(excluding HDD)	≤1Kg

● PRODUCT PICTURE





MVTEAM Wireless NVR Menu:



MVTEAM wireless nvr remote view on computer and smartphone:



2-720P Outdoor Wireless IP Camera

● **FEATURES**



- *1.0M/720P wireless IPC
- *with IR CUT
- *3.6mm Lens
- *3pcs 3rd generation LED Array,30m IR Distance
- *Waterproof IP66

● **SPECS**



Wireless Camera Specs	
Image Sensor	1/4" Progressive Scan Sensor
Signal System	PAL/NTSC
Resolution	1280 x 720 16 : 9 High Definition
Minimum illumination	Color: 0.1 Lux; B/W: 0.01 Lux
Shutter	1/25s to 1/25,000s
Lens	3.6mm
OSD	Date Time & Title
White Balance	Auto
Day&Night	Auto / Color / BW
3D-DNR	Auto
Mirror/Flip	On / Off
Frame Specification	Three Streaming at the Same Time H.264 128x720@30fps or below H.264 640x480@30fps or below
S/N	> 39.1 Db
Interface	RJ45 / WIFI 802.11b/g/n
Anti-thunder Level	Standard IEC61000-4-5
Working Temperature/Humidity	-10°C to +50°C / 30% to 80% RH
Storage Temperature/Humidity	-20°C to +60°C / 20% to 90% RH
Power Input	DC12V-1A
Power consumption	≤6W
Size	205(L)×70(W)×55 (H)mm
Weight	500g
Level of Protection	IP66

● **PRODUCT PICTURE**



3-12V(DC)/2A Power adaptor for wireless IP Camera



4-CD and quick installation guide manual



5-Package



Related wireless NVR kit

4CH Wireless NVR Kit
www.mvteamcctv.com

M' TEAM CE FC

4CH Wireless NVR Kit
www.mvteamcctv.com

M' TEAM CE FC

8CH Wireless NVR Kit
www.mvteamcctv.com

M' TEAM CE FC

● FACTORY & OFFICE

M TEAM



● EXHIBITIONS

M TEAM

