

Vandalproof IK10 Dome China Surveillance Camera Wholesale(MVT-AH26W)

● FEATURES

M' TEAM

- 1-Adopt 1/3"CMOS(OV4689+NVP2475H),reach to 4MP resolution
- 2-with 2.8-12mm(M12) vari-focal Lens
- 3-75- 3 general support under the coaxial cable transmission without loss
- 4-High-speed, long-distance, real-time transmission
- 5-Support OSD
- 6-with IR Cut for day&night mode switching
- 7-Support UTC

Applications:

Finance, supermarkets, telecommunications, government, schools, airports, factories, hotels, museums and other places to apply the high-resolution requirements.

● SPECS

M' TEAM

Model	MVT-AH26W
Sensor	1/3"CMOS(OV4689+NVP2475H) 4.0MP
SIGNAL	PAL / NTCS
Video Output	AHD/CVBS
Lens	2.8-12mm(M12) vari-focal Lens
IR Distance	30pcs×Φ5 IR leds,30m IR Distance
Min. Illumination	0.01Lux F1.2
Shutter	4/25s~1/45,000s
Synchronization	Internal
BLC	optional
OSD	optional
AWB	Automatic / manual / day / night
Day/Night	with IR Cut, Auto(ICR) / Color / B/W
Transmission	Over 500m via 75-3 coaxial cable
Distance	
Power Supply	DC 12V±10%
Working	-30°C~+60°C/Less than 95%RH(no condensation)
Environment	
Vandal-proof	IK10
Warranty	2 years
Power	4W MAX





Metal Housing

30 pcs Leds
IR Distance 30m



Vandalproof

M TEAM

IK10 Test report:

1. TEST SUMMARY



Table 1 Test overview

Test Items	Specimen status	Serial/Specimen No.	Test conclusion	Processed date
IK10 test	Unpackaged, non-operating	1#	Pass	Mar.04,2016

APPENDIX A PHOTO

No.	Depiction	Photo	No.	Depiction	Photo
1	Inspection before test		4	IK10 test (1 impact on left)	
2	Impact position (3 impacts on center, 1 impact on left, 1 impact on right)		5	IK10 test (1 impact on right)	
3	IK10 test (3 impacts on center)		6	Inspection after test (the operation of the camera is normal)	

EXHIBITIONS



If you have any question, welcome to *contact us*.
 Your close attention to our company is highly appreciated.
 Welcome to visit our official website www.mvteamcctv.com to view video demos, download product

catalog and read CCTV technical articles.