

Waterproof Bullet 8mm M12 Lens IP Security Camera Starlight CCTV Camera MVT-M3280S

FEATURES

MVTEAM



Starlight IP Camera

Super Low-Light Effect (Under 0.001Lux)

STARLIGHT MOTION 1080P HD P2P POE

No light B/W Mode Low light Color Mode Daytime Clear Color Mode

- *Adopts Hisilicon DSP Hi3516CV300 plus Sony CMOS IMX291, resolution upto 1080P/2MP
- *Super good performance in low light environment, low illumination under 0.001Lux
- *Compression format
- *3MP 2.8-12mm varifocal lens, 35m IR distance

Starlight IP camera VS Common Camera in low light environment.



XVR Common Camera →

Starlight IP Camera →

If you want to view the real image quality of starlight ip camera, please check below video record.
Warmly notice: please do setup the player image quality to 1080p when watch the video.

MVTEAM Starlight IP Camera Clear Color Image at Dayti...



2017-12-13 11:09



MVTEAM Starlight IP Camera Video Record(No Light)



2017-12-13 00:13



▼ Pictures

M'TEAM



▼ 3-Axis Bracket

M'TEAM



▼ Size

M'TEAM



Model	MVT-M3280S
Sensor type	1/2.8" SONY CMOS IMX291(Low illumination)
DSP	Hi3516CV300
Compression format	H.264/JPEG/AVI/MJPEG
Resolution	1080P 1920*1080
Shutter speed	1/50(1/60) ~ 1/100,000 s
Video compression	32Kbps~16Mbps
Lens	Megapixel HD 8mm Lens(CS)
Lens Interface type	(M12)
Day and night switch system	IR-CUT
Audio Compression	ADPCM
WDR	Support DWDR
Minimum illumination	0.001Lux
Image setting	Saturation,brightness,contrast ratio can be adjusted by CMS and IE browser
Intelligent alarm	Motion detecting, video loss,network cable disconnection, and IP address conflict
Memory Function	Network storage
Network Protocol	P2P,RTP,RTSP,TCP/IP,HTTP,DHCP,DNS,DDNS, PPPoE,SMTP,NTP
General function	Flash-prevention, double stream, heartbeat, password protection
Communication interface	1ch RJ45,10M/100M ethernet ports adaptively
LED	42pcs IR leds
IR distance	35m
ONVIF	Support ONVIF 2.4
Power	DC 12V/1A Power adaptor or make POE on extension Video Cable
Operating Temperature	-10°C~50°C

▼ Packages



Package: MVTEAM Brand Box Or Netural Box Or Specified by customer.



Shipping: Based on the your demands to choose the best shipping way.

Contact us:

If you have any question, welcome to **Contact us**.

Your close attention to our company is highly appreciated.

Welcome to visit our official website www.mvteamcctv.com to view video demos,download product catalog and read CCTV technical articles