

## ● SPECS

M'TEAM

Modello	MVT-CV46A
Sensor	1/3 "CMOS Pixelplus 1.0M / 720P
SEGNALE	PAL / NTCS
Uscita video	HD-CVI
Pixel effettivi	1280 (H) * 720 (V)
Min. Illuminazione	0.05Lux @(F1.2, AGC ON), 0 Lux con IR
Shutter	1 / 3s~1 / 100,000s, supportato slow shutter
Video di frequenza	1280 x 720 @ 50 fps;1280 x 720 @ 60 fps
Sincronizzazione	Interiore
Uscita video	1-canale di uscita video ad alta definizione BNC HDCVI
Riduzione del rumore	3DNR
OSD	Controllo coassiale Supporto
Esposizione	Modo di esposizione modalità di retroilluminazione / esposizione di velocità livello / esposizione / anti- sfarfalli
AWB	Automatico / manuale / giorno / notte
Giorno notte	Auto (ICR) / Colore / B / N
Funzione Set	3DNR / amplificatore digitale / tipo di obiettivo
Funzionalità avanzate	Camera ID / specchio / dinamico di rilevamento / filtro privacy / lingua / 485 set / informazioni di sistema
Regolazione immagine	Nitidezza / luminosità / contrasto / saturazione / nitidezza inibizione / a / gamma / interruttore soppressione c
Distanza di trasmissione	Negli 500m tramite un cavo coassiale 75-3
Alimentazione elettrica	DC 12V ± 10%
Ambiente di lavoro	30 ° C ~ + 60 ° C / Meno 95% RH (senza condensa)
Consumo di energia	8W MAX

## ● PRODUCT PICTURE

M'TEAM



# HD-CVI

High Definition Composite Video Interface

## ① Introducing HD-CVI

Use Your Existing  
Coax Cable



True HD Quality



Extremely  
Cost Effective

## ② This will change everything!

Go From This



This is traditional  
cctv system vedio effect

To This!



This is HD-CVI  
720P Full Size

### Highlights

- HD 720P Video on coax.
- Long Distance Transmission up to 1600ft.
- Video,RS485 and sound over one cable.

## ③ Benefits

- Upgrade to Megapixel Quality on your coax cable!
- Long Rane Runs up to 1600ft!
- One Cable for Video,RS485 and Audio!
- No Signal Loss!
- Around the same price as the older analog CCTV technology!



Video



RS485



Easy Install



Audio

## P2P Funzione Advantages:

- \* **Non è necessario fare di impostazione indirizzo IP stabile**
- \* **Non è necessario fare di impostazione DDNS**
- \* **Non hanno bisogno di fare l'installazione del router**
- \* **Ridurre i costi post-vendita**

# HD-CVI CCTV Camera and DVR

- \* Low cost high definition surveillance system
- \* Support long-distance HD transmission
- \* Same installation way as traditional CCTV system

## 720P HD-CVI camera

1/2.9"CMOS ,1.0M/720P,with IR CUT(PO3100)



### MVT-CV11A

Gray and White color optional,  
with 6mm Lens,36pcs×Φ5 IR leds,  
30m IR Distance,  
3-Axis bracket with cable built-in



### MVT-CV21A

Gray and White color optional,  
with 2.8-12mm vari-focal Lens,  
42pcs×Φ5 IR leds,  
35m IR Distance,  
bracket with cable built-in



### MVT-CV73A

with 8mm Lens,  
2 pcs 3rd generation LED Array,  
50m IR Distance,with bracket



### MVT-CV74A

with 16mm Lens,  
4 pcs 3rd generation LED Array,  
100m IR Distance,with bracket

## 720P Display&Record HD-CVI DVR



### MVT-CV6304

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 1pc hard disk  
4-Support P2P network view



### MVT-CV6404H

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH



### MVT-CV6504

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH



### MVT-CV6508

1-8CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH

## ● FACTORY & OFFICE

M'TEAM



## ● EXHIBITIONS

M'TEAM

