

2015 Newest Products

HyBrid AHD Camera

- ◆ 4-in-1 Hybrid
- ◆ TVI/CVI/AHD/CVBS
- ◆ Low Price, 720P HD

4-in-1 Hybrid Waterproof 720P AHD Camera
www.mvteamcctv.com



4-in-1 Hybrid Waterproof 720P AHD Camera
www.mvteamcctv.com



4-in-1 Hybrid Varifocal 720P AHD Camera
www.mvteamcctv.com



1080P AHD Camera

- ◆ Real Time Display
- ◆ High Cost Effective
- ◆ Plug and Play

Varifocal 720P/1024P/1080P AHD Camera
Lens 9.0-32mm, IR 60m
www.mvteamcctv.com



720P/1024P/1080P
Lens 6.0mm, IR 36m
www.mvteamcctv.com



720P/1024P/1080P HD AHD Dome Camera
Lens 6.0mm, Led Array
www.mvteamcctv.com



HD Hybrid DVR

- ◆ AHD/IP/CVBS 3-in-1
- ◆ 1080H/1080P Optional
- ◆ P2P Smart View

4CH 1080P Economical WiFi Hybrid Security DVR
NVR+AHD DVR 5000
www.mvteamcctv.com



1080P AHD DVR 8CH WiFi Hybrid DVR
Full 1080P
www.mvteamcctv.com



1080P AHD DVR 4CH WiFi Hybrid DVR
Full 1080P
www.mvteamcctv.com



720P esterna ibrida impermeabile AHD Macchina fotografica con TVI CVI AHD CVBS MVT-TAH30

To buy AHD or CVI or TVI or CVBS Cameras?

This is not a question any more!

AHD
+
CVI
+
TVI
+
CVBS

=



4-in-1 Camera! 2015 latest Technology!

4-in-1 Hybrid Waterproof 720P AHD Camera

www.mvteamcctv.com

NEW



AHD
+
CVI
=
+
TVI
+
CVBS



M'TEAM

● FEATURES

M'TEAM

Quattro modalità, liberi di cambiare

Risoluzione HD, 1280 X 720

Sostenere taglio di IR, sorveglianza Giorno Notte

Apparecchiature con HDI8901 ISP Processor

Prezzo basso e la funzione a moltiplicarlo

● SPECS

M'TEAM


Modello	MVT-TAH30		
Chipset principale	HDI8901 ISP		
Sensor	1/4" CMOS 1.0MP AR0141 / 720P bassa illuminazione		
SEGNALE	PAL / NTCS		
Lens & amp; Distanza IR	35m fisso 8,0 millimetri / IR, 42 IR LED		
Uscita video	1 Canale HD-TV, HD-CVI, HD- AHD , CVBS (Switch menu OSD)		
Pixel effettivi	TVI: 1280 (H) * 720 (V)	CVI:1280 (H) * 720 (V)	AHD : 1280 (H) * 1024 (V) CVBS:1000TVL
Min. Illuminazione	0.01Lux F1.2		
Shutter	4 / 25s ~ 1 / 45,000s		
Sincronizzazione	Interiore		
BLC	opzionale		
OSD	Supportato		
AWB	Automatico / manuale / giorno / notte		
Giorno notte	Auto (ICR) / Colore / B / N		
Distanza di trasmissione	Negli 500m tramite un cavo coassiale 75-3		
Alimentazione elettrica	DC 12V ± 10%		
Ambiente di lavoro	30 ° C ~ + 60 ° C / Meno 95% RH (senza condensa)		
Consumo di energia	4W ± 10%		



HD / TVI / CVI / CVBS, come passare?

1. By il menu OSD, UP è **AHD**, Down è CVI, sinistra è TVI, Destra è CVBS
2. Tenere il tasto di direzione per cinque secondi per passare

Attenzione: Assicurarsi che spegnere quando l'interruttore per la seconda volta



Hold Five Seconds When Switch

● FACTORY & OFFICE



● EXHIBITIONS



MVTEAM Advantages

1. Advanced P2P Client Software

Mobile Phone View

(All MVTEAM DVR,AHD DVR, CVI DVR, SDI DVR, NVR support



Achieve Monitoring All kinds of Cameras in One Screen Computer



Benefit

- Do not have to learn different Softwares
- Can Reduce after-sale service,save time save labor cost
- Support Smart Phone,Tablet,PC
- Android and IOS, Win7/8,Vista/XP, available

2.Flexiable ODM/OEM Service

Logo on Camera



logo on DVR



Logo turn up on Screen



3.Trade Assurance

Trade Assurance to protect your Trade business.

- *Trade us with safety, Assurance
- *Trade us with more confidence
- *Trade us with more satisfaction



Per maggiori informazioni su **AHD** Prodotti Benvenuti a visitare [FAQ](#)