

To buy AHD or CVI or TVI or CVBS Cameras?

*This is not a question any more!*

AHD  
+  
CVI  
+  
TVI  
+  
CVBS

=



*4-in-1 Camera! 2015 latest Technology!*

## ● FEATURES

M-TEAM

\*Four Modes(TVI-CVI-AHD-CVBS), free to change

\*HD resolution, 1280\*720, 1.0MP, 720P

Supporting IR Cut, Day Night surveillance

Equipment with HDI8901 ISP Processor

Low Price and multiply function

## ● SPECS

M-TEAM


|                    |  |                    |                      |              |
|--------------------|--|--------------------|----------------------|--------------|
| Model              | MVT-TAH20N   |                    |                      |              |
| Main Chipset       | HDI8901 ISP  |                    |                      |              |
| Sensor             | 1/4" CMOS AR0141 1.0MP/720P Low Illumination               |                    |                      |              |
| SIGNAL             | PAL / NTSC   |                    |                      |              |
| Lens & IR Distance | Fixed 3.0mm/6.0mm lens, 36pcs IR leds, IR distance 30m     |                    |                      |              |
| Video Output       | 1 Channel HD-TV, HD-CVI, HD-AHD, CVBS (Switch By OSD Menu) |                    |                      |              |
| Effective Pixels   | TVI: 1280(H)*720(V)  | CVI:1280(H)*720(V) | AHD: 1280(H)*1024(V) | CVBS:1000TVL |
| Min. Illumination  | 0.01Lux F1.2   |                    |                      |              |

|                       |   |
|-----------------------|---|
| Shutter               | 4/25s~1/45,000s                             |
| Synchronization       | Internal                                    |
| BLC                   | optional                                    |
| OSD                   | Supported                                   |
| AWB                   | Automatic / manual / day / night            |
| Day/Night             | Auto(ICR) / Color / B/W                     |
| Transmission Distance | Over 500m via 75-3 coaxial cable            |
| Power Supply          | DC 12V±10%                                  |
| Working Environment   | 30°C~+60°C/Less than 95%RH(no condensation) |
| Power Consumption     | 4W±10%                                      |

### HD/TVI/CVI/CVBS, how to Switch?

- 1.By the OSD Menu, UP is AHD, Down is CVI,Left is TVI,Right is CVBS
- 2.Hold the Direction Button for FIVE Seconds to Switch

**Warning:Make sure power off when Switch the second time**



**Hold Five Seconds When Switch**

## ● FACTORY & OFFICE

M TEAM



## ● EXHIBITIONS

M TEAM



# MVTEAM Advantages

## 1. Advanced P2P Client Software

Mobile Phone View

(All MVTEAM DVR,AHD DVR, CVI DVR, SDI DVR, NVR support



Achieve Monitoring All kinds of Cameras in One Screen Computer



## Benefit

- Do not have to learn different Softwares
- Can Reduce after-sale service,save time save labor cost
- Support Smart Phone,Tablet,PC
- Android and IOS, Win7/8,Vista/XP, available

## 2.Flexiable ODM/OEM Service

Logo on Camera



logo on DVR



Logo turn up on Screen



## 3.Trade Assurance

Trade Assurance to protect your Trade business.

- \*Trade us with safety, Assurance
- \*Trade us with more confidence
- \*Trade us with more satisfaction



For more about **AHD** Products welcome to Visit [FAQ](#)