

● FEATURES

M'TEAM

● Features

- 1.3M pixel resolution
- Supports HD/SD/NTSC/CVBS output
- 3000 LED infrared 15W IR Vandalproof • 30
- 360° panoramic - Panor5MP 1.5M resolution M12 connector
- Supports 75-3 coaxial cable 500M transmission distance
- Supports OSD menu
- ICR function
- Supports LED light

● Specifications

● Specifications

● SPECS

M'TEAM

Model	MVT-AH60T	MVT-AH60B
Sensor	1/3" CMOS pixel plus 1.3M/ 1024P AR0130	1/3" CMOS pixel plus 1.3M/ 1024P SONY225
SIGNAL	PAL / NTCS	
Video Output	HD-AHD/CVBS	
Effective Pixels	1280(H)*1024(V)	1280(H)*1024(V)
Min. Illumination	0.01Lux F1.2	
Shutter	4/25s~1/45,000s	
Synchronization	Internal	
Video Output	1-channel BNC HDAHD/CVBS high definition video output	
BLC	optional	
OSD	optional	
AWB	Automatic / manual / day / night	
Day/Night	Auto(ICR) / Color / B/W	
Transmission Distance	Over 500m via 75-3 coaxial cable	
Power Supply	DC 12V±10%	
Working Environment	30°C~+60°C/Less than 95%RH(no condensation)	
Power Consumption	4W MAX	





□□□□□□ **AHD** □□□□□□□□□□ □□□□□□