

FEATURES

M'TEAM

□□□

1. □□1MP HD□□□□□□□□

3MP HD□□□□□2

3. P2P□□□□□□□□□FTP

4. □□□□□□□□□□

□□□□□□□□□□5.

6. 1□□□

CE□FCC□RoHS□□□□□□7.

8. POE□□□□□

SPECS

M'TEAM

□□□	MVT-M6220
□□□□□□	Hi3518C + OV9712,1 / 4 "CMOS□□□□
□□□□□	264□□□□□□□□MPEG4□MJPEG
□□	1280 * 720 @ 30fps□
□□□□□□	1/50□1/60□□1 /10□□
□□□□□	32Kbps□□□16Mbps
□□□	3M□□□2.8□12□□□□□□□□
□□□□□□□□□□□□	□M12□
□□□□□□□□□□	IR-CUT
□□□□□□□	ADPCM
□□□□	0.05Lux @□□0.01Lux B / W
□□□□	□□□□□□□□□□□□CMS□IE□□□□□□□□□□□□□□□□
□□□□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□□□ IP □□□□□□□□
□□□□□□	□□□□□□□□□□
□□□□□□□□□□□□	P2P□RTP□RTSP□TCP /IP□HTTP□DHCP□DNS□DDNS□PPPoE □□SMTP□NTP
□□□□	□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□	□□1CH RJ45,10M / 100M□□□□□□□□□□
LED	42pcs□LED
□□□□□□	35□□□□□
IP □□□□	IP66



IP 720P 1024P 1080P



● FACTORY & OFFICE

M' TEAM



● EXHIBITIONS

M' TEAM

