



10"LANMVT-K088CHIP



IP Camera



NVR

10 "LAN18chHDNVR
8HDIP
812VDC/ 2A
1
1CDCMS



1-8CHNVR

FEATURES

M'TEAM

*10 "HD1280 * 1024330

*WI-FI

802.11b / g / n150Mbps

* HDMI

*8 * 720P; 8 * 960P8 * 960H4 * 720P 8 * 960P

* 3個USBポート、HDD 4TB、P2P×1

SPECS

MTEAM

NVR		
OS	OS	
AV	8CH	
	20Mbps	
AV	HDMI	1CH1024x768,1366x768 1440x900,1920x1080p
AV CODEC	D1 / 720P	
	8CH	
USB	Manual	
	USB	
	USB	
SATA	1 * SATA	
	4 TB	
RJ45	1 RJ45 10M / 100M	
	2 Wi-Fi	
USB	3 USB 2.0	
UPnP	UPnP	UPnP & 038;SMTP survicePPPoE DHCP AN IP ...
Power	DC12V3A	
	≤5W HDD	
	-10°C + 55°C	
	10%~90% RH	
	257W×210V×45H	
	≤1Kg	

PRODUCT PICTURE

MTEAM

MVTEAM NVR



NVR MVTEAM



2-720P IP

FEATURES

- * 1.0M / 720P IPC
- * IR
- * 3.6
- * 3pcs 3 LED 30 IR
- * IP66

SPECS

MVTEAM

MVTEAM

Wireless Camera Specs	
Image Sensor	1/4" Progressive Scan Sensor
Signal System	PAL/NTSC
Resolution	1280 x 720 16 : 9 High Definition
Minimum illumination	Color: 0.1 Lux; B/W: 0.01 Lux
Shutter	1/25s to 1/25,000s
Lens	3.6mm
OSD	Date Time & Title
White Balance	Auto
Day&Night	Auto / Color / BW
3D-DNR	Auto
Mirror/Flip	On / Off
Frame Specification	Three Streaming at the Same Time H.264 128x720@30fps or below H.264 640x480@30fps or below
S/N	> 39.1 Db
Interface	RJ45 / WIFI 802.11b/g/n
Anti-thunder Level	Standard IEC61000-4-5
Working Temperature/Humidity	-10℃ to +50℃ / 30% to 80% RH
Storage Temperature/Humidity	-20℃ to +60℃ / 20% to 90% RH
Power Input	DC12V-1A
Power consumption	≤6W
Size	205(L)×70(W)×55 (H)mm
Weight	500g
Level of Protection	IP66

● PRODUCT PICTURE

M' TEAM



IP 3-12VDC / 2A



4-CD



5-



□□□□NVR□□□□

4CH Wireless NVR Kit
www.mvteamcctv.com

M'TEAM CE FC

4CH Wireless NVR Kit
www.mvteamcctv.com

M'TEAM CE FC

8CH Wireless NVR Kit
www.mvteamcctv.com

M'TEAM CE FC

● FACTORY & OFFICE

M TEAM



● EXHIBITIONS

M TEAM

