

## FEATURES

M'TEAM

1. 1080P HD 720P
2. 3M 6mm CS
3. ONVIF PoE
4. P2P
5. 30M
6. 1
7. CE FCC RoHS

## SPECS

M'TEAM

|                   | MVT-M1120                                               |
|-------------------|---------------------------------------------------------|
| Image Sensor      | Hi3518C + OV9712, 1 / 4 " CMOS                          |
| Resolution        | 264P MPEG4 MJPEG                                        |
| Frame Rate        | 1280 * 720 @ 30fps                                      |
| Shutter Speed     | 1/50 1/60 1 / 10                                        |
| Bit Rate          | 32Kbps 16Mbps                                           |
| Storage           | 3M 6mm CS                                               |
| Image Format      | M12                                                     |
| Image Filter      | IR-CUT                                                  |
| Audio Format      | ADPCM                                                   |
| Light Sensitivity | 0.05Lux @ 0.01Lux B / W                                 |
| Image Compression | CMS IE                                                  |
| Image Format      | IP                                                      |
| Image Format      |                                                         |
| Image Format      | P2P RTP RTSP TCP / IP HTTP DHCP DNS DDNS PPPoE SMTP NTP |
| Image Format      |                                                         |
| Image Format      | 1CH RJ45, 10M / 100M                                    |
| LED               | 36 LED                                                  |
| Image Format      | 35                                                      |

IP

IP66

## ● PRODUCT PICTURE

M TEAM



## ● FACTORY & OFFICE

M TEAM



