

CCTV 5 MVT - AH16S

FEATURES



- * 5.0MP 1 / 2.5 "0521 CMOS
- * Fuhan FH8538M
- * HD 5.0mp
- * 4-in-1 AHD / TVI / CVI / CVBS
- * AE / AWB / AES / AGC
- * IR / ICR
- 500M * 75-3
- * OSD
- * UTC / DVR / OSD

DESCRIPTION

SPECS



Model	MVT-AH16S
Resolution	1 / 2.5" CMOS 0521 + 8538M 5.0MP
Format	PAL / NTCS
Interface	AHD / CVI / TVI / 960H
Lens	2.8" 12mm
IR	42 x 5 IR LED 35 IR
Min Illumination	0.05Lux / F1.2 B / W 0.01Lux / F1.2
Frame Rate	1/25 30 S~1 / 50,000S
Frame Size	5MP @ 25fps
S / N	62dB
Compression	BLC
OSD	
AWB	
IR / ICR	IR / ICR / B / W
Power	75-3 500m
Voltage	DC 12V ± 10%
Temperature	-30°C + 60°C / 95% RH
Protection	IP66
Weight	2kg
Power Consumption	4W MAX

▼ Pictures

M'TEAM



▼ 3-Axis Bracket

M'TEAM



▼ Size

M'TEAM



AHD 12V DC



* Power supply's amperage cannot be less than CCTV camera's amperage.



1000mA



100mA



100mA




1000mA



VOTAGE DROP

* Power supply's wire will make voltage drop, so make sure not too long wire, and long wire with a thicker gauge. (Thicker gauge makes voltage drop more slowly).



Voltage Drop(%)



Power Supply



Camera



Power Supply



Camera



Copyright All rights reserved

▼ Packages

M'TEAM

Brand Camera Package



Neutral Camera Package



Brand DVR Package



000000 MVTEAM000000000000Netural000000000000 0000

▼ Shipping

M'TEAM



0000 000000000000000000 0000000000

00000000

00000000000000000000 00000000

00000000000000000000000000000000

00000000 00000000000000 www.mvteamcctv.com 00000000000000000000000000000000CCTV00000000