

● FEATURES



- 1 1080P HD 1024P
- 2 2.8" 12MP CMOS sensor
- 3 ONVIF PoE compatible
- 4 P2P PTZ
- 5 30M
- 6 1 year warranty
- 7 CE FCC RoHS compliant

● SPECS



	MVT-M2924
Processor	Hi3518C + SONY IMX238, 1 / 3" CMOS sensor
Resolution	2640x1488 @ 30fps / MPEG4 / MJPEG
Frame rate	1280 * 1024 @ 30fps
Shutter speed	1/50 ~ 1/60 ~ 1/10
Bit rate	32Kbps ~ 16Mbps
Storage	3M ~ 2.8" 12MP CMOS sensor
Image resolution	M12
Image sensor	IR-CUT
Audio	ADPCM
Light sensitivity	0.05Lux @ 0.01Lux B / W
Image resolution	CMOS IE sensor
Image resolution	IP camera
Image resolution	
Image resolution	P2P / RTP / RTSP / TCP / IP / HTTP / DHCP / DNS / DDNS / PPPoE / SMTP / NTP
Image resolution	
Image resolution	1CH RJ45, 10M / 100M
LED	36 LED
Image resolution	30
IP	

● PRODUCT PICTURE

MYTEAM



● FACTORY & OFFICE

MYTEAM



● EXHIBITIONS

