

# IP66 AHD 5MP MVT - AH21S



## FEATURES

- \* 5.0MP 1 / 2.5 "0521 CMOS
- \* Fuhun FH8538M
- \* HD 5.0mp
- \* 4-in-1 AHD / TVI / CVI / CVBS
- \* AE / AWB / AES / AGC
- IR
- 500M \* 75-3
- \* OSD
- \* UTC / DVR / OSD



## SPECS

Model	MVT-AH21S
Resolution	1 / 2.5" CMOS 0521 + 8538M 5.0MP
Standard	PAL / NTCS
Input	AHD / CVI / TVI / 960H
Lens	2.8" 12mm
IR	42 x φ5 IR LED 35 IR
Min Illumination	0.05Lux / F1.2 B / W 0.01Lux / F1.2
Shutter	1/25 ~ 30 S ~ 1 / 50,000 S
Frame Rate	5MP @ 25fps
S / N	62dB
Compression	BLC
OSD	
AWB	
IR Cut Filter	IR / CR / B / W
IR Distance	75-3 500m
Power	DC 12V ± 10%
Operating Temp	-30°C + 60°C / 95% RH
Protection	IP66
Mounting	2"
Power Consumption	4W MAX



## PRODUCT PICTURE

▼ Two colors optional

M'TEAM



White   
Grey 

▼ 3-Axis Bracket

M'TEAM



▼ Size

M'TEAM



Unit:mm

Q1 如何選擇合適的電源供應器？

如何選擇合適的DVR？如何選擇合適的DVR？

Q2 如何選擇合適的電源供應器？

如何選擇合適的MOQ？1pc

Q3 如何選擇合適的電源供應器？

如何選擇合適的OEM？

Q4 如何選擇合適的電源供應器？

如何選擇合適的AHD 12V DC 電源供應器？




\* Power supply's amperage cannot be less than CCTV camera's amperage.



## VOTAGE DROP

\* Power supply's wire will make voltage drop, so make sure not too long wire, and long wire with a thicker gauge. (Thicker gauge makes voltage drop more slowly).



## Voltage Drop(%)



Power Supply



Camera



Power Supply



Camera



Copyright All rights reserved

## ▼ Packages

M'TEAM

Brand Camera Package



Neutral Camera Package



Brand DVR Package



www.mvteamcctv.com MVTEAM Neutral

## ▼ Shipping

M'TEAM



www.mvteamcctv.com

www.mvteamcctv.com

www.mvteamcctv.com

www.mvteamcctv.com

www.mvteamcctv.com [www.mvteamcctv.com](http://www.mvteamcctv.com) CCTV