


-

型番	MVT-62B16	
画素数	264万画素	
OS	Linux	
出力端子	16XBNC1.0Vp-p75Ω	
入力端子	1BNC1.0Vp-p75Ω1VGAHDMI 1080P	
解像度	PAL 400F / S PAL480F / S	
映像入力端子	16×RCA	
映像出力端子	1×RCA	
音声入力端子	1/4/8/16	
音声出力端子	60P 1920×1080 @ * 768 1280 1024 1280 * 1024 * 720 60P @	
映像入力端子	16CH D1	
映像出力端子	TCP / IPUDPDHCPDNSIPPPPOE UPNPDDNS iPhone 3G	
映像入力端子	4CH / 1CH	
映像出力端子	16CH	
映像入力端子	16CH	
映像出力端子	U / / USB / DVD-RW /	
映像入力端子	4SATA4TB	



RS485

□□

□□□□

□□□□

□□□□

□□

PTZ□□

12V / 6A

≤30W

-10°C□+ 55°C/ 10□90□RH / 86□106kPa□□□□

440 * 380 * 70□□□□□□□□DVR□□□□

8.0□□□HDD□□□

● PRODUCT PICTURE

MTEAM



P2P□□Advantages□

*□□□□□□IP□□□□□□□□□□

*□□□DDNS□□□□□□□□□□

*□□□□□□□□□□□□□□□□

*□□□□□□□□□□□□□□

Mobile Phone View

(All MVTEAM DVR, AHD DVR, CVI DVR, SDI DVR, NVR support)



Achieve Monitoring All kinds of Cameras in One Screen on Computer



● FACTORY & OFFICE

M TEAM



● EXHIBITIONS

M TEAM

