

## ● FEATURES



- 1 1080P HD 720P
- 2 2.8mm 12MP
- 3 ONVIF PoE
- 4 P2P
- 5 35M
- 6 100m
- 7 CE FCC RoHS

## ● SPECS



	MVT-M2724
Camera	Hi3518C + SONY IMX238, 1 / 3 " CMOS
Resolution	2640x1488 @ 30fps MPEG4 / MJPEG
Frame rate	720 @ 30fps
Shutter speed	1/50 ~ 1/60 ~ 1 / 10
Bit rate	32Kbps ~ 16Mbps
Storage	3M ~ 2.8mm 12MP
Image sensor	M12
IR	IR-CUT
Audio	ADPCM
Light sensitivity	0.05Lux @ 0.01Lux B / W
Protocol	RTSP / RTMP / HTTP / DHCP / DNS / DDNS / PPPoE / SMTP / NTP
Network	100Mbps
Port	P2P / RTP / RTSP / TCP / IP / HTTP / DHCP / DNS / DDNS / PPPoE / SMTP / NTP
Power	1CH RJ45, 10M / 100M
LED	42pcs LED
Weight	35g

IP□□□□

● PRODUCT PICTURE

M'TEAM



● FACTORY & OFFICE

M'TEAM



● EXHIBITIONS

