

● FEATURES

- 1) OSD
- 2) Speed(0.1°~220°/s) Speed(0.1°~180°/s)
- 3) 100 m
- 4)
- 5) 128 () & ()
- 6) 360 ° 90 ° : 0.4 ° 320 °/s
- 7) 8 4 180 s
- 8) 4
- 9)
- 10) Humanize
- 11)
- 12) OSD
- 13)
- 14) (Rs485)
- 15) PELCO-D PELCO-P
- 16) IP66
- 17) TVS4000V

● SPECS

PTZ	
Speed	0.1 °~220 °/s
Speed	0.1 °~180 °/s
Zoom	220 °/s
Range	360 ° 90 °
Resolution	128
Zoom	90 ° 180 °
Zoom	355 ° 4
Zoom	8
Zoom	
Zoom	BNC AHD
Zoom	RS485
Zoom (RS485)	2400~4800~9600/19200 bps
ID	1~254
Temp	-10°C~+60°C
Temp	0~95%
Temp	IP66
Temp	DC12V/5 A
Temp	002

°C	-10°C~+60°C
kg	6.9 kg
Spec(20X,1080P)	
1/3"	Sony322 + 4191
Resolution	1920 * 1080
Zoom	x20 f = 4.7 mm ~ 94.0 mm
FOV	55.2°(Wide) 3.2°(Tele)
IR	: 0.5 , BW : 0.1
S/N (Y)	52dB
ICR	/
DNR	/ / / / /
WDR	/ /
3DNR	/ /
Smart IR	
Smart IR	
Smart IR	, ,

● PRODUCT PICTURE



● FACTORY & OFFICE

M'TEAM



▼ Packages

M'TEAM

Brand Camera Package

Neutral Camera Package

Brand DVR Package



□□□□□: MVTEAM □□□□ □□□□□□□□ Neutral □□□□□□□□□□ □□□

▼ Shipping

M'TEAM



