

● FEATURES



- 1) OSD
- 2) Speed(0.1°~220°/s)
- 3) 100 m
- 4)
- 5) 128
- 6) 360 ° 90 ° 0.4 ° 320 °/s
- 7) 8 4 180 s
- 8) 4
- 9)
- 10) Humanize
- 11)
- 12) OSD
- 13)
- 14) (Rs485)
- 15) PELCO-D PELCO-P
- 16) IP66
- 17) TVS4000V

● SPECS



PTZ	
Speed	0.1 °~220 °/s
Speed	0.1 °~180 °/s
Speed	220 °/s
Angle	360 ° 90 °
Angle	
Resolution	128
Angle	90 ° 180 °
Angle	355 ° 4
Angle	8
Angle	
Angle	BNC AHD
Angle	RS485
Angle (RS485)	2400~4800~9600/19200 bps
ID	1~254
Angle	-10°C~+60°C
Angle	0~95%
Angle	IP66
Angle	DC12V/5 A
Angle	002

°C	-10°C~+60°C
kg	6.9 kg
Spec(20X,1080P)	
1/3" Sony	1/3" Sony322 + 4191
Resolution	1920 * 1080
Zoom	x20 f = 4.7 mm ~ 94.0 mm
FOV	55.2°(Wide) 3.2°(Tele)
IR	: 0.5 , BW : 0.1
S/N (Y)	52dB
ICR	/
DNR	/ / / / /
	/ /
	/ /
	, ,

● PRODUCT PICTURE



● FACTORY & OFFICE

M'TEAM



▼ Packages

M'TEAM

Brand Camera Package

Neutral Camera Package

Brand DVR Package



□□□□□: MVTEAM □□□□ □□□□□□□□ Neutral □□□□□□□□□□ □□□

▼ Shipping

M'TEAM



