

6 POE IP CCTV MVT - M1780S

H.265 Starlight IP Camera

Super Low-Light Effect (Under 0.001 Lux)



B/W Mode



Color Mode



Clear Color Mode

FEATURES



- * Adopts Hisilicon DSP Hi3516CV300 CMOS IMX291 1080P / 2MP
- * 0.001Lux
- * H.265
- * 3MP 6mm M12 30m IR

Starlight IP VS



starlight ip 1080p

MVTEAM Starlight IP Camera Clear Color Image at Dayti...



2017-12-13 11:09



MVTEAM Starlight IP Camera Video Record(No Light)



2017-12-13 00:13



▼ Pictures

M'TEAM



▼ 3-Axis Bracket

M'TEAM



▼ Size

M'TEAM



| | |
|-------|---|
| 型號 | MVT-M1780S |
| 感光元件 | 1 / 2.8英寸SONY CMOS IMX291 |
| DSP | Hi3516CV300 |
| 編碼格式 | H.265 / H.264 / JPEG / AVI / MJPEG |
| 解析度 | 1080P 1920 * 1080 |
| 幀率 | 1/50~1/60~1 / 100,000 |
| 傳輸速率 | 32Kbps~16Mbps |
| 鏡頭 | HD 6mm |
| 鏡頭類型 | M12 |
| 紅外線 | IR |
| 音訊編碼 | ADPCM |
| WDR | DWDR |
| 最低照度 | 0.001Lux |
| 功能 | 紅外線夜視、CMS、IE |
| 網路功能 | 支援IP、ONVIF |
| 網路協議 | 支援 |
| 網路功能 | P2P、RTP、RTSP、TCP / IP、HTTP、DHCP、DNS、DDNS、PPPoE、SMTP、NTP |
| 網路 | 支援 |
| 網路接口 | 1ch RJ45, 10M / 100M |
| LED | 42顆IR LED |
| IR | 35m |
| ONVIF | ONVIF 2.4 |
| 電源 | DC 12V / 1A、POE |
| 溫度 | -10°C~50°C |

▼ Packages

Brand Camera Package



Neutral Camera Package



Brand DVR Package



Netural

Shipping

M'TEAM



www.mvteamcctv.com

www.mvteamcctv.com

www.mvteamcctv.com

www.mvteamcctv.com

www.mvteamcctv.com www.mvteamcctv.com CCTV