



Features

IP Camera



Display device



Specifications

- 10 "LAN 1 8ch HD NVR
- 8 HD IP
- 8 12V DC / 2A
- 1
- 1 CD CMS

Specifications

1-8CH NVR

FEATURES



- * 10 " HD 1280 * 1024 330
- * Wi-Fi
- 802.11b / g / n 150Mbps

- * HDMI
- * 8 * 720P; 8 * 960P; 8 * 960H; 4 * 720P; 8 * 960P
- * 3 * USB; HDD 4TB; P2P * 1

SPECS



NVR		
	OS	
AV		8CH
	broadband	20Mbps
AV	HDMI	1CH 1024x768, 1366x768, 1440x900, 1920x1080p
AV CODEC		D1 / 720P
		8CH
		Manual
	USB	
		1 * SATA
		4 TB
		1 RJ45 10M / 100M, 2 WI-FI
	USB	3 USB 2.0
		UPnP, 038, SMTP, service, PPPoE, DHCP, AN IP
		DC12V3A
		≤5W HDD
		-10°C + 55°C
		10%~90% RH
		257W × 210V × 45
		≤1Kg

PRODUCT PICTURE





MVTEAM NVR



NVR MVTEAM



2-720P IP

FEATURES



- * 1.0M / 720P IPC
- * IR
- * 3.6
- * 3pcs 3 LED 30 IR
- * IP66

SPECS



Wireless Camera Specs	
Image Sensor	1/4" Progressive Scan Sensor
Signal System	PAL/NTSC
Resolution	1280 x 720 16 : 9 High Definition
Minimum illumination	Color: 0.1 Lux; B/W: 0.01 Lux
Shutter	1/25s to 1/25,000s
Lens	3.6mm
OSD	Date Time & Title
White Balance	Auto
Day&Night	Auto / Color / BW
3D-DNR	Auto
Mirror/Flip	On / Off
Frame Specification	Three Streaming at the Same Time H.264 128x720@30fps or below H.264 640x480@30fps or below
S/N	> 39.1 Db
Interface	RJ45 / WIFI 802.11b/g/n
Anti-thunder Level	Standard IEC61000-4-5
Working Temperature/Humidity	-10°C to +50°C / 30% to 80% RH
Storage Temperature/Humidity	-20°C to +60°C / 20% to 90% RH
Power Input	DC12V-1A
Power consumption	≤6W
Size	205(L)×70(W)×55 (H)mm
Weight	500g
Level of Protection	IP66

● **PRODUCT PICTURE**



IP 3-12V DC / 2A



4-CD



5-



□□□□NVR□□□□

4CH Wireless NVR Kit
www.mvteamcctv.com

M' TEAM CE FC

4CH Wireless NVR Kit
www.mvteamcctv.com

M' TEAM CE FC

8CH Wireless NVR Kit
www.mvteamcctv.com

M' TEAM CE FC

● FACTORY & OFFICE

M TEAM



● EXHIBITIONS

M TEAM

