Vandalproof IK10□□□□□□□□□□□□□MVT - AH26W□

FEATURES

1 - 1/3 "CMOS□□□□OV4689 + NVP2475H□□4MP□□□□□□
2-2.8-12mm□M12□□□□□□□□□□□
3-75- 3□□□□□□□□□□□□□□□□□□□□□□□□□□□
4 - □□□□□□□□□□□□□□□□
5□□□□OSD
6□□IR□□□□□&□□□□□□□□
7-□□□□UTC

□□□□□□□□□□

□□

SPECS

□□□	MVT-AH26W
□□□□	1/3 "CMOS□OV4689 + NVP2475H□ 4.0MP
□□	PAL / NTCS
□□□ □□	AHD / CVBS
□□□	2.8-12mm□M12□ □□□□□□□ □□□
IR □□	30□×Φ5 IR leds□30m IR □□
Min□ □□□□□□□□	0.01Lux F1.2
□□□□□	4/25□1 / 45,000
□□	□□
BLC	□□
OSD	□□
AWB	□□ / □□□□□ / □ / □
□/□	□□ IR □□□□ □□□ICR□ / □ / B / W
□□	□□□□ 500m □□ 75-3 □□ □□□□
□□	
□ □□	DC 12V±10□
□□□□□	- 30℃□+ 60℃/□□ □□ 95□RH□no □□□
□□	
□□□□	IK10
□□	2 □
□	4W MAX

PRODUCT PICTURE

140mm
100mm
Metal Housing
30 pcs Leds
IR Distance 30m
Vandalproof
MVTEAM

IK10□□□□□□□□□

1. TEST SUMMARY

Table 1 Test overview

Test Items	Specimen status	Serial/Specimen No.	Test conclusion	Processed date
IK10 test	Unpackaged, non-operating	1#	Pass	Mar.04,2016

APPENDIX A PHOTO

No.	Depiction	Photo
1	Inspection before test	
2	Impact position (3 impacts on center,1 impact on left,1 impact on right)	
3	IK10 test (3 impacts on center)	
4	IK10 test (1 impact on left)	
5	IK10 test (1 impact on right)	
6	Inspection after test(the operation of the camera is normal)	

www.mvteamcctv.com

EXHIBITIONS

M'TEAM

www.mvteamcctv.com CCTV