FEATURES

M'TEAM

- 1.00000000
- 2.000000000000
- 3.\_\_\_\_AHD DVR\_\_\_\_\_\_DUVR\_\_\_\_\_DVR\_\_\_\_\_
- 3G\_\_\_\_\_5.\_\_CMS\_\_\_\_

| SPECS    |   | M'TEAR                                   |
|----------|---|--|
|          | MVT-R7441N  | MVT-R7451A                               |
| 00000000 | 976 * 496   | P□976 * 582                              |
|          |   | N□976 * 494                              |
|          | 800TVL  | 800TVL                                   |
|          | $1.0 	extsf{Vp-p} = 0.0000000000000000000000000000000000$ | 1.0 Vp-p                                 |
| SYNC     | 000   | 000                                      |
| 0000     | PC1099  | P□ICX811AK                               |
|          |   | N□ICX810AK                               |
|          | 0.01Lux   | 0.05Lux                                  |
|          | 0.45  | 0.45                                     |
|          | PAL[]1/50[]]1 / 100000s NTSC[]1/60[]-1 /                  | PAL[]1/50[[]1 / 100000s NTSC[]1/60[]-1 / |
|          | 100000s   | 100000s                                  |
| S / N□   | 48A8  | 5200000                                  |
| DNR      | -   | 3D-DNR                                   |
|          |   | ATW / PUSH / USER1 /                     |
| AWB      | AUTO  | □□□□2 / ANTI CR /                        |
|          |   | MANUAL / PUSH LOCK                       |
| AGC      | AUTO  | AUTO                                     |
| BLC      | -   | ON / OFF                                 |
| OSD      | -   | YES                                      |
| D-WDR    | -   | -  |

|        |          | OFF /□/ Midlow / |
|--------|----------|------------------|
| SWDR   | -        | □□□/ Midhigh /□□ |
| HLC    | -        | ON / OFF         |
| D-     | -        | 1-256            |
| IR     | -        | ON / OFF         |
| 00/000 | -        | 0000000          |
| 00000  | _        | 0000040000       |
|        |          |                  |
|        | -        | 8                |
|        | 5000000  | 120              |
|        | 500000   | 12000000         |
|        | DC12V±1V | DC12V±1V         |

## PRODUCT PICTURE





## New Appearance CCTV Cameras



MVT-R46 8mm(CS) Lens, 42 pcs IR leds



MVT-R30 8mm Lens, 42pcs×Ф5 IR leds



MVT-R21 2.8-12mm vari-focal Lens, 42pcs×Ф5 IR leds



MVT-R62 2.8-12mm vari-focal Lens, 42pcs×Φ5 IR leds



MVT-R58 9-22mm vari-focal Lens, 72pcs×Ф5 IR leds



MVT-D30 6mm lens, 24pcs×Ф5 IR leds



MVT-D22 6mm lens, 36pcs×Ф5 IR leds



MVT-D28 6mm lens, 36pcs×Ф5 IR leds



MVT-D29 2.8-12mm vari-focal Lens, 36pcs×Ф5 IR leds



MVT-D26 2.8-12mm(M12) vari-focal Lens

MYTEAM

## FACTORY & OFFICE











• EXHIBITIONS M'TEAM



\_\_\_\_\_ Aanalog \_\_\_\_\_\_ \_\_\_ \_\_\_