

## ● FEATURES



1. 2.0MP 25FPS
2. 2.0MP 25FPS
3. 2.0MP AHD DVR 2.0MP 25FPS DVR 2.0MP 25FPS
4. 2.0MP 25FPS
- 3G 2.0MP 25FPS 5.0MP CMS 2.0MP 25FPS

## ● SPECS



Model	MVT-R7441N	MVT-R7451A
Resolution	976 * 496	P 976 * 582 N 976 * 494
Resolution	800TVL	800TVL
Dynamic Range	1.0Vp-p 75dB	1.0Vp-p 75dB
SYNC	NTSC	NTSC
IC	PC1099	P ICX811AK N ICX810AK
Minimum Illumination	0.01Lux	0.05Lux
Shutter Speed	0.45	0.45
Frame Rate	PAL 1/50 1 / 100000s NTSC 1/60 -1 / 100000s	PAL 1/50 1 / 100000s NTSC 1/60 -1 / 100000s
S / N	48dB AGC	52dB
DNR	-	3D-DNR
AWB	AUTO	ATW / PUSH / USER1 / ANTI CR / MANUAL / PUSH LOCK
AGC	AUTO	AUTO
BLC	-	ON / OFF
OSD	-	YES
D-WDR	-	-

SWDR	-	OFF / <input type="checkbox"/> / Midlow / <input type="checkbox"/> / Midhigh / <input type="checkbox"/>
HLC	-	ON / OFF
D- <input type="checkbox"/>	-	1-256
IR- <input type="checkbox"/>	-	ON / OFF
<input type="checkbox"/>	-	<input type="checkbox"/>
<input type="checkbox"/>	-	<input type="checkbox"/> 4 <input type="checkbox"/>
<input type="checkbox"/>	-	8 <input type="checkbox"/>
<input type="checkbox"/>	50 <input type="checkbox"/>	120 <input type="checkbox"/>
<input type="checkbox"/>	DC12V±1V	DC12V±1V

● PRODUCT PICTURE



# New Appearance CCTV Cameras



**MVT-R46**  
8mm(CS) Lens,  
42 pcs IR leds



**MVT-R30**  
8mm Lens,  
42pcs×Ø5 IR leds



**MVT-R21**  
2.8-12mm  
vari-focal Lens,  
42pcs×Ø5 IR leds



**MVT-R62**  
2.8-12mm  
vari-focal Lens,  
42pcs×Ø5 IR leds



**MVT-R58**  
9-22mm  
vari-focal Lens,  
72pcs×Ø5 IR leds



**MVT-D30**  
6mm lens,  
24pcs×Ø5 IR leds



**MVT-D22**  
6mm lens,  
36pcs×Ø5 IR leds



**MVT-D28**  
6mm lens,  
36pcs×Ø5 IR leds



**MVT-D29**  
2.8-12mm  
vari-focal Lens,  
36pcs×Ø5 IR leds



**MVT-D26**  
2.8-12mm(M12)  
vari-focal Lens

## ● FACTORY & OFFICE

**M TEAM**





□□□□□ Analog □□□□□□□□□□ □□□□□