

● FEATURES



- 1.support funkcja P2P poprzez IE, QMEYE CMS w PC i iPhone & Android telefon komórkowy.
- Oprogramowanie 2.QMEYE może nagrywać wspierać wideo w telefonie komórkowym i zdalnego odtwarzania nagrań z rejestratora
- Oprogramowanie 3.One Klient może zarządzać mutiple kamery bezpieczeństwa
- 4.Support Miękkie aktualizacji, obsługa 20 języków

● SPECS



Model	Najważniejsze dane
	4CH 720P, Wyjście wideo: BNC x 1, VGA (1280 * 1024) X 1, wyjście HDMI: 1920 x 1080
	P2P / NAT Funkcja: Plug and Play fuction (Brak ustawienia DDNS oraz portu spedycja, kiedy IE Remote View)
	Rozdzielczość wyświetlacza: 4 * 720P, Rozdzielczość zapisu: 4 * 720P, Funkcja Zoom cyfrowy Podczas wyświetlania i odtwarzania
	Wejście audio: 4 kanały, Wyjście audio: AV x 1
MVT-CV6204 (P2P / NAT)	Wsparcia miękkiego aktualizacji, wspierać wyjście VGA, directly podłączony do LCD
	Dysku twardego informacji: Wsparcie Jeden SATA, port USB: USB 2.0 * 2szt
	Zdalne Widok: Wsparcie IE i oprogramowanie klienta, wsparcie dla myszy Operacja, pochodzą z 1szt myszy.
	Telefony Obsługa 3G Nadzór (Iphone, Andriod, Blackberry, Windows Mobile)
	Menu Chodź ze chiński uproszczony, angielski, włoski, Turecki, tajski, rosyjski, francuski, portugalski, hiszpański, hebrajski, polski, perski, Niemiecki, serbski, grecki, Indonezja, chiński tradycyjny, japoński, Arabski



HD-CVI

High Definition Composite Video Interface

① Introducing HD-CVI

Use Your Existing
Coax Cable



True HD Quality



Extremely
Cost Effective

② This will change everything!

Go From This



This is traditional
cctv system vedio effect

To This!



This is HD-CVI
720P Full Size

Highlights

- HD 720P Video on coax.
- Long Distance Transmission up to 1600ft.
- Video, RS485 and sound over one cable.

③ Benefits

- Upgrade to Megapixel Quality on your coax cable!
- Long Rane Runs up to 1600ft!
- One Cable for Video, RS485 and Audio!
- No Signal Loss!
- Around the same price as the older analog CCTV technology!



Video



RS485



Easy Install



Audio



P2P Funkcja Advantages:

- * Nie musisz zrobić, konfiguracja adresu IP stabilna
- * Nie musisz zrobić konfigurację DDNS
- * Nie musisz zrobić konfiguracji routera
- * Ograniczenie kosztów posprzedażnych

HD-CVI CCTV Camera and DVR

- * Low cost high definition surveillance system
- * Support long-distance HD transmission
- * Same installation way as traditional CCTV system

720P HD-CVI camera

1/2.9"CMOS ,1.0M/720P,with IR CUT(PO3100)



MVT-CV11A

Gray and White color optional,
with 6mm Lens,36pcs×Φ5 IR leds,
30m IR Distance,
3-Axis bracket with cable built-in



MVT-CV21A

Gray and White color optional,
with 2.8-12mm vari-focal Lens,
42pcs×Φ5 IR leds,
35m IR Distance,
bracket with cable built-in



MVT-CV73A

with 8mm Lens,
2 pcs 3rd generation LED Array,
50m IR Distance,with bracket



MVT-CV74A

with 16mm Lens,
4 pcs 3rd generation LED Array,
100m IR Distance,with bracket

720P Display&Record HD-CVI DVR



MVT-CV6304

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 1pc hard disk
4-Support P2P network view



MVT-CV6404H

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH



MVT-CV6504

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH



MVT-CV6508

1-8CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH

● FACTORY & OFFICE

M' TEAM



● EXHIBITIONS

M' TEAM

