100m IR Distance 1080P 2MP Waterproof P2P IP Camera support POE(MVT-M7480)

FEATURES

MYTEAM

- 1)Resolution HD 1080P
- 2) 3M Pixels 16mm Lens(CS)
- 3)Support Onvif, POE
- 4)Support P2P (Plug to play)
- 5)Night vision 100M
- 6) 1 year Warranty
- 7) With CE,FCC, RoHS certificates

SPECS



| Model | MVT-M7480 |
|-----------------------------|---|
| Sensor type | Hi3516C + SONY IMX322,1/3" CMOS sensor |
| Compress standard | H.264 Main profile,MPEG4,MJPEG |
| Main Stream | 1920*1080@30fps |
| Shutter speed | 1/50(1/60) ~ 1/100,000 s |
| Video compression | 32Kbps~16Mbps |
| Lens | 3M Pixels 16mm Lens |
| Lens Interface type | (CS) |
| Day and night switch system | IR-CUT |
| Audio Compression | ADPCM |
| Minimum illumination | 0.05Lux @Color,0.01Lux B/W |
| Image setting | Saturation, brightness, contrast ratio can be adjusted by CMS and IE browser |
| Intelligent alarm | Motion detecting, video loss,network cable disconnection, and IP address conflict |
| Memory Function | Network storage |
| Network Protocol | P2P,RTP,RTSP,TCP/IP,HTTP,DHCP,DNS,DDNS, PPPoE,SMTP,NTP |
| General function | Flash-prevention, double stream, heartbeat, password protection |
| Communication interface | 1ch RJ45,10M/100M ethernet ports adaptively |
| LED | 3rd generation LED Array |
| IR distance | 50m |
| IP Grade | IP66 |

• PRODUCT PICTURE M'TEAM



• FACTORY & OFFICE














• EXHIBITIONS M'TEAM



If you have any question, welcome to contact us.

Your close attention to our company is highly appreciated.

Welcome to visit our official website <u>www.mvteamcctv.com</u> to <u>view video demos,download product catalog</u> and read <u>CCTV technical articles</u>.