

## 16CH 1080P AHD NVR Hybrid Network dvr recorder support 4pcs HDD(62B16H80P)

### ● PRODUCT PICTURE

M TEAM



M TEAM

## Adopt Newest HiSilicon Chipset



## New humanized User Interface

## System come with 28 kinds of languages





Adjustable DVR  
menu transparency

Support backup video  
records to DVR built-in  
redundant HDD



Support playback different  
time period video records in  
one screen, save time on find  
useful video records



5-in-1 hybrid modes:  
AHD+TVI+CVI+CVBS+IP




DVR menu with Ping  
command, convenient to do  
DVR network testing

With UTC Function, control  
analog camera and PTZ camera  
on DVR thru coaxial cable







Support P2P remote view  
by CMS and IE browser

Come with cloud ID, easy to  
realize P2P remote view  
by scan the QR Codes



Support remote view, record,  
playback, receive motion  
detection alarm by Iphone  
and Andriod Smartphone

## ● SPECS

M'TEAM

- 1.AHD:16CH 1080P@20fps recording  
8CH 1080P playback
- 2.HVR:8CH 1080P@15fps Analog + 8CH 1080P@15fps IP recording  
4CH 1080P@25fps playback
- 3.NVR:16CH 1080P@25fps IP recording

4CH 1080P@25fps playback

4-Audio: 8ch input, 1ch output

5-Alarm: 4ch input, 1ch output

|                         |                                                                         |                                              |
|-------------------------|-------------------------------------------------------------------------|----------------------------------------------|
| Model                   | 62B16H80P                                                               |                                              |
| Compression             | H.264 Standard compression                                              |                                              |
| Operation               | Embedded Linux                                                          |                                              |
| Image coding-control    | Image edit adjustable,both changable and fix stream optional            |                                              |
| Dual stream             | Can be set up in each channel                                           |                                              |
| Monitor image quality   | 16*1080P (AHD), 16*1080P (NVR)                                          |                                              |
| Image dynamic detection | Multiple detection areas in each channel                                |                                              |
| Video framerate         | 16*1080P 20FPS/CH AHD, 16*1080P 25FPS/CH NVR                            |                                              |
| Image playback quality  | AHD 8*1080P, NVR 4*1080P@25FPS                                          |                                              |
| Video mode              | Support manual, automatic, dynamic monitoring, alarm trigger video mode |                                              |
| Backup mode             | U disk, USB portable disk, USB burn, Network storage and backup         |                                              |
| Operate mode            | Mouse, Remote controller,Front Panel Control                            |                                              |
| login locally           | admin and password                                                      |                                              |
| Save recording          | local hard disk and network                                             |                                              |
| External interface      | Video input                                                             | 16*1080P 20FPS/CH AHD, 16*1080P 25FPS/CH NVR |
|                         | Audio input                                                             | 8×RCA                                        |
|                         | Network interface                                                       | 10M/100M base-T Ethernet (RJ-45)             |
|                         | USB connect port                                                        | 2 x USB 2.0                                  |
|                         | RS485                                                                   | RS485*1                                      |
|                         | Alarm input                                                             | 4ch input                                    |
|                         | Alarm output                                                            | 1ch output                                   |
|                         | Internal HDD                                                            | 4 SATA HDD port                              |
|                         | Maximum capacity                                                        | Maximum 4TB each SATA□                       |
| Cell phone monitoring   | Support Window Mobile, iPhone,iPad, Android                             |                                              |
| Power                   | 12V/4A                                                                  |                                              |
| DVR size                | 440(L)*380(W)*70(H)mm                                                   |                                              |
| Weight                  | <5.5kg(without HDD)                                                     |                                              |

## ▼ Packages



### Brand Camera Package



### Neutral Camera Package



### Brand DVR Package



## ▼ Shipping

M'TEAM



### Contact us:

If you have any question, welcome to [contact us](#).

Your close attention to our company is highly appreciated.

Welcome to visit our official website [www.mvteamcctv.com](http://www.mvteamcctv.com) to view [video demos](#), [download product catalog](#) and read [CCTV technical articles](#).