

# 16CH 1080P Analog and Digital Hybrid Network Video Recorder for IP Cameras(6416H80P)

---

## ● Features

MTEAM

Adopt Newest HiSilicon Chipset



New humanized User Interface



System come with 28 kinds of languages



Adjustable DVR menu transparency



Support backup video records to DVR built-in redundant HDD



Support playback different time period video records in one screen, save time on find useful video records



Hybrid DVR support three kinds of modes:  
full analog channels  
analog+digital channels  
full digital channels



DVR menu with Ping command, convenient to do DVR network testing



With UTC Function, control analog camera and PTZ camera on DVR thru coaxial cable



Support P2P remote view by CMS and IE browser



Come with cloud ID, easy to realize P2P remote view by scan the QR Codes



Support remote view, record, playback, receive motion detection alarm by iPhone and Android Smartphone



- 1.AHD:16CH 1080P@20fps recording, 8CH 1080P playback
- 2.HVR:8CH 1080P@15fps Analog + 8CH 1080P@15fps IP recording, 4CH 1080P@25fps playback
- 3.NVR:16CH 1080P@25fps IP recording,4CH 1080P@25fps playback
- 4-Audio: 8ch input, 1ch output
- 5-Alarm:4ch input,1ch output

Model		6416H80P
Compression		H.264 Standard compression
Operation		Embedded Linux
Image coding-control		Image edit adjustable,both changable and fix stream optional
Dual stream		Can be set up in each channel
Monitor image quality		16*1080P(AHD), 16*1080P(NVR)
Image dynamic detection		Multiple detection areas in each channel
Video framerate		1080P 20FPS/CH AHD; 1080P 25FPS NVR
Image playback quality		AHD 8*1080P ; NVR 4*1080P@25FPS
Video mode		Support manual, automatic, dynamic monitoring, alarm trigger video mode
Backup mode		U disk, USB portable disk, USB burn, Network storage and backup
Operate mode		Mouse, remote controller, front panel
login locally		without password
Save recording		local hard disk and network
External interface	Video input	1080P 20FPS AHD;1080P 25FPS NVR
	Audio input	8*RCA
	Network interface	10M/100M base-T Ethernet (RJ-45)
	USB connect port	2*USB 2.0
	RS485	RS485*1
	Alarm input	4CH
	Alarm output	1CH
	Internal HDD	2 SATA HDD port
	Maximum capacity	Maximum 4TB each SATA□
Cell phone monitoring		Support Window Mobile, iPhone,iPad, Android
Power		12V/3A
DVR size		340(L)*265(W)*70(H)mm
Weight		<3.5kg(without HDD)

## ● PRODUCT PICTURE

M' TEAM



## ● EXHIBITIONS

M' TEAM



## ▼ Packages

M' TEAM





**Contact us:**

If you have any question, welcome to [contact us](#).

Your close attention to our company is highly appreciated.

Welcome to visit our official website [www.mvteamcctv.com](http://www.mvteamcctv.com) to view [video demos](#), [download product catalog](#) and read [CCTV technical articles](#).