

# 1MP/1.3MP/2MP Vari-focal Lens Plastic Dome AHD CCTV Kamera(MVT-AH29)

## ● FEATURES



### Main Features:

- 1.0M/1.3M/2.0M pixel full real time optional, Highest resolution 1080P
- follow HD and CVBS video standard
- 2.8-12mm vari-focal Lens
- support transmission distance above 500M under general 75- 3 coaxial cable without loss
- High-speed, long-distance, real-time transmission
- support OSD menu
- with ICR switching , to achieve Day and Night monitoring

### Application Places:

Apply to the financial, supermarket, telecommunications, government, schools, airports, factories, hotels, museums and other places of requirement of high-definition.

## ● SPECS



Model No.	Key Specifications	
MVT-AH29A	with 2.8-12mm(M12) vari-focal Lens, 36pcs×Φ5 IR leds,30m IR Distance	1/4" CMOS(H42+NVP2432) 1.0MP, with IR CUT
MVT-TAH29N		1/4" CMOS(AR0141+HDI890) 1.3MP, TVI-CVI-AHD-CVBS 4-in-1 Camera
MVT-AH29N		1/4" CMOS(AR0141+NVP2431H) 1.3MP, Low Illumination,with IR CUT
MVT-AH29T		1/3" CMOS(AR0130+NVP2431H) 1.3MP, with IR CUT
MVT-AH29B		1/3" CMOS (SONY225+NVP2431H) 1.3MP, with IR CUT
MVT-AH29P		1/3" CMOS(SONY322+NVP2441H ) 2.0MP, with IR CUT



# ▼ CCTV Camera Production Flow

**M'TEAM**



Brush Pasting



SMT



Reflow Soldering



Inspection



Camera Test 2



Camera Test 1



Assembling



Soldering



Waterproof Test



Ageing Test



Packing



Ready for shipping

# ▼ CE ROHS FCC

**M'TEAM**



## ▼ Packages

**M'TEAM**

## ▼ Shipping

**M'TEAM**

For more kinds of AHD CCTV Kameras, welcome to check: [HD AHD Series](#)

If you have any question, welcome to [contact us](#).

Your close attention to our company is highly appreciated.

Welcome to visit our official website [www.mvteamcctv.com](http://www.mvteamcctv.com) to view video demos, download product catalog and read CCTV technical articles.